



September 30, 2019

Mr. Michael Montgomery
Executive Officer
San Francisco Bay Regional Water Quality Control Board
1515 Clay Street, Suite 1400
Oakland, CA 94612

Subject: **City of Redwood City**
FY 2018/19 Annual Report

Dear Mr. Montgomery:

This letter and Annual Report with attachments is submitted by the City of Redwood City pursuant to Permit Provision C.17.a of the Municipal Regional Stormwater NPDES Permit (MRP), Order R2-2015-0049, NPDES Permit No CAS612008 issued by the San Francisco Bay Regional Water Quality Control Board. The Annual Report provides documentation of compliance activities conducted during FY 2018/19 and related accomplishments.

Please contact me at 650-780-7466 regarding any questions or concerns.

Very truly yours,

A handwritten signature in blue ink, appearing to read "Terence Kyaw".

Terence Kyaw
Public Works Services Director

**CITY OF REDWOOD CITY
FY 2018/19 ANNUAL REPORT**

Certification Statement

"I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted, is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature of Duly Authorized Representative:



Terence Kyaw
Public Works Services Director

9/24/2019

Date

Table of Contents

| Section | Page |
|---|-------------|
| Section 1 – Permittee Information | 1-1 |
| Section 2 – Provision C.2 Municipal Operations..... | 2-1 |
| Section 3 – Provision C.3 New Development and Redevelopment..... | 3-1 |
| Section 4 – Provision C.4 Industrial and Commercial Site Controls..... | 4-1 |
| Section 5 – Provision C.5 Illicit Discharge Detection and Elimination | 5-1 |
| Section 6 – Provision C.6 Construction Site Controls..... | 6-1 |
| Section 7 – Provision C.7 Public Information and Outreach | 7-1 |
| Section 9 – Provision C.9 Pesticides Toxicity Controls | 9-1 |
| Section 10 – Provision C.10 Trash Load Reduction | 10-1 |
| Section 11 – Provision C.11 Mercury Controls..... | 11-1 |
| Section 12 – Provision C.12 PCBs Controls..... | 12-1 |
| Section 13 – Provision C.13 Copper Controls | 13-1 |
| Section 15 – Provision C.15 Exempted and Conditionally Exempted Discharges..... | 15-1 |

Section 1 – Permittee Information

| Background Information | | | | |
|--|----------------------------------|--------------------|----------------|--------------------------|
| Permittee Name: | City of Redwood City | | | |
| Population: | 86,685 | | | |
| NPDES Permit No.: | CAS612008 | | | |
| Order Number: | R2-2015-0049 | | | |
| Reporting Time Period (month/year): | July 2018 through June 2019 | | | |
| Name of the Responsible Authority: | Melissa Stevenson Diaz | | Title: | City Manager |
| Mailing Address: | P.O. Box 391 | | | |
| City: | Redwood city | Zip Code: | 94063 | County: San Mateo |
| Telephone Number: | (650) 780-7301 | Fax Number: | (650) 780-7445 | |
| E-mail Address: | mdiaz@redwoodcity.org | | | |
| Name of the Designated Stormwater Management Program Contact (if different from above): | Terence Kyaw | | Title: | Public Works Director |
| Department: | Public Works Services Department | | | |
| Mailing Address: | 1400 Broadway Street | | | |
| City: | Redwood City | Zip Code: | 94063 | County: San Mateo |
| Telephone Number: | (650) 780-7466 | Fax Number: | (650) 780-7445 | |
| E-mail Address: | tkyaw@redwoodcity.org | | | |

Section 2 - Provision C.2 Reporting Municipal Operations

Program Highlights and Evaluation

Highlight/summarize activities for reporting year:

Summary:

City staff continues to participate in SMCWPPP's Municipal Subcommittee. In FY 18/19, Public Works continued integrating the electronic work order management system into Stormwater division daily operations and implementation of the full trash capture device O&M Program. The City continues to operate stormwater pump stations and conduct yearly inspections of the Corp Yard.

Refer to the C.2 Municipal Operations section of the countywide Program's FY 18-19 Annual Report for a description of activities implemented at the countywide and/or regional level.

C.2.a. ► Street and Road Repair and Maintenance

Place a **Y** in the boxes next to activities where applicable BMPs were implemented. If not applicable, type **NA** in the box and provide an explanation in the comments section below. Place an **N** in the boxes next to activities where applicable BMPs were not implemented for one or more of these activities during the reporting fiscal year, then in the comments section below provide an explanation of when BMPs were not implemented and the corrective actions taken.

| | |
|----------|--|
| Y | Control of debris and waste materials during road and parking lot installation, repaving or repair maintenance activities from polluting stormwater |
| Y | Control of concrete slurry and wastewater, asphalt, pavement cutting, and other street and road maintenance materials and wastewater from discharging to storm drains from work sites. |
| Y | Sweeping and/or vacuuming and other dry methods to remove debris, concrete, or sediment residues from work sites upon completion of work. |

Comments:

C.2.b. ► Sidewalk/Plaza Maintenance and Pavement Washing

Place a **Y** in the boxes next to activities where applicable BMPs were implemented. If not applicable, type **NA** in the box and provide an explanation in the comments section below. Place an **N** in the boxes next to activities where applicable BMPs were not implemented for one or more of these activities during the reporting fiscal year, then in the comments section below provide an explanation of when BMPs were not implemented and the corrective actions taken.

| | |
|----------|---|
| Y | Control of wash water from pavement washing, mobile cleaning, pressure wash operations at parking lots, garages, trash areas, gas station fueling areas, and sidewalk and plaza cleaning activities from polluting stormwater |
| Y | Implementation of the BASMAA Mobile Surface Cleaner Program BMPs |

Comments:

C.2.c. ► Bridge and Structure Maintenance and Graffiti Removal

Place a **Y** in the boxes next to activities where applicable BMPs were implemented. If not applicable, type **NA** in the box and provide an explanation in the comments section below. Place an **N** in the boxes next to activities where applicable BMPs were not implemented for one or more of these activities during the reporting fiscal year, then in the comments section below provide an explanation of when BMPs were not implemented and the corrective actions taken.

| | |
|----------|--|
| Y | Control of discharges from bridge and structural maintenance activities directly over water or into storm drains |
| Y | Control of discharges from graffiti removal activities |
| Y | Proper disposal for wastes generated from bridge and structure maintenance and graffiti removal activities |
| Y | Implementation of the BASMAA Mobile Surface Cleaner Program BMPs for graffiti removal |
| Y | Employee training on proper capture and disposal methods for wastes generated from bridge and structural maintenance and graffiti removal activities. |
| Y | Contract specifications requiring proper capture and disposal methods for wastes generated from bridge and structural maintenance and graffiti removal activities. |

Comments:

| C.2.e. ► Rural Public Works Construction and Maintenance | |
|--|--|
| Does your municipality own/maintain rural ¹ roads: | |
| <input type="checkbox"/> | Yes |
| <input checked="" type="checkbox"/> | No |
| If your answer is No then skip to C.2.f. | |
| Place a Y in the boxes next to activities where applicable BMPs were implemented. If not applicable, type NA in the box and provide an explanation in the comments section below. Place an N in the boxes next to activities where applicable BMPs were not implemented for one or more of these activities during the reporting fiscal year, then in the comments section below provide an explanation of when BMPs were not implemented and the corrective actions taken. | |
| <input type="checkbox"/> | Control of road-related erosion and sediment transport from road design, construction, maintenance, and repairs in rural areas |
| <input type="checkbox"/> | Identification and prioritization of rural road maintenance based on soil erosion potential, slope steepness, and stream habitat resources |
| <input type="checkbox"/> | No impact to creek functions including migratory fish passage during construction of roads and culverts |
| <input type="checkbox"/> | Inspection of rural roads for structural integrity and prevention of impact on water quality |
| <input type="checkbox"/> | Maintenance of rural roads adjacent to streams and riparian habitat to reduce erosion, replace damaging shotgun culverts and excessive erosion |
| <input type="checkbox"/> | Re-grading of unpaved rural roads to slope outward where consistent with road engineering safety standards, and installation of water bars as appropriate |
| <input type="checkbox"/> | Inclusion of measures to reduce erosion, provide fish passage, and maintain natural stream geomorphology when replacing culverts or design of new culverts or bridge crossings |
| Comments including listing increased maintenance in priority areas: | |

¹Rural means any watershed or portion thereof that is developed with large lot home-sites, such as one acre or larger, or with primarily agricultural, grazing or open space uses.

| C.2.f. ► Corporation Yard BMP Implementation | | | | |
|---|---|------------------------------|------------------------------------|---|
| Place an X in the boxes below that apply to your corporations yard(s): | | | | |
| <input type="checkbox"/> | We do not have a corporation yard | | | |
| <input type="checkbox"/> | Our corporation yard is a filed NOI facility and regulated by the California State Industrial Stormwater NPDES General Permit | | | |
| <input checked="" type="checkbox"/> | We have a Stormwater Pollution Prevention Plan (SWPPP) for the Corporation Yard(s) | | | |
| Place an X in the boxes below next to implemented SWPPP BMPs to indicate that these BMPs were implemented in applicable instances. If not applicable, type NA in the box. If one or more of the BMPs were not adequately implemented during the reporting fiscal year then indicate so and explain in the comments section below: | | | | |
| <input checked="" type="checkbox"/> | Control of pollutant discharges to storm drains such as wash waters from cleaning vehicles and equipment | | | |
| <input checked="" type="checkbox"/> | Routine inspection prior to the rainy seasons of corporation yard(s) to ensure non-stormwater discharges have not entered the storm drain system | | | |
| <input checked="" type="checkbox"/> | Containment of all vehicle and equipment wash areas through plumbing to sanitary or another collection method | | | |
| <input checked="" type="checkbox"/> | Use of dry cleanup methods when cleaning debris and spills from corporation yard(s) or collection of all wash water and disposing of wash water to sanitary or other location where it does not impact surface or groundwater when wet cleanup methods are used | | | |
| <input checked="" type="checkbox"/> | Cover and/or berm outdoor storage areas containing waste pollutants | | | |
| Comments: | | | | |
| If you have a corporation yard(s) that is not an NOI facility, complete the following table for inspection results for your corporation yard(s) or attach a summary including the following information: | | | | |
| Corporation Yard Name | Corp Yard Activities w/ site-specific SWPPP BMPs | Inspection Date ² | Inspection Findings/Results | Date and Description of Follow-up and/or Corrective Actions |
| Municipal Services Center | General housekeeping, vehicle/ equipment washing; vehicle/ equipment maintenance & repair, fuel dispensing; outdoor material storage; outdoor waste/recycling storage; municipal vehicle/heavy equipment parking; and employee parking | 9/14/2018 | No issues found during inspection. | No follow-up action required. |

² Minimum inspection frequency is once a year during September.

Section 3 - Provision C.3 Reporting New Development and Redevelopment

C.3.b.iv.(2) ► Regulated Projects Reporting

Fill in attached table **C.3.b.iv.(2)** or attach your own table including the same information. **See attached table.**

C.3.e.iv. ► Alternative or In-Lieu Compliance with Provision C.3.c.

| | | | | |
|--|--------------------------|-----|-------------------------------------|----|
| Is your agency choosing to require 100% LID treatment onsite for all Regulated Projects and not allow alternative compliance under Provision C.3.e.? | <input type="checkbox"/> | Yes | <input checked="" type="checkbox"/> | No |
| Comments (optional): Redwood City does not allow fees or LID treatment at an off-site location for in-lieu compliance under C.3.e.i. Redwood City does permit in-lieu compliance via LID Treatment Reduction Credits under C.3.e.ii for Special Projects, under the legal authority in already in place in Redwood City Municipal Code Section 27A. Staff sends written confirmation to Special Project owners confirming their status after review of documents such as geotechnical reports, LID infeasibility/feasibility worksheets, and conceptual plans. | | | | |

C.3.e.v ► Special Projects Reporting

| | | | | |
|---|-------------------------------------|-----|--------------------------|----|
| 1. In FY 2018-19, has your agency received, but not yet granted final discretionary approval of, a development permit application for a project that has been identified as a potential Special Project based on criteria listed in MRP Provision C.3.e.ii(2) for any of the three categories of Special Projects (Categories A, B or C)? | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| 2. In FY 2018-19, has your agency granted final discretionary approval to a Special Project? If yes, include the project in both the C.3.b.iv.(2) Table, and the C.3.e.v. Table. | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| If you answered "Yes" to either question, 1) Complete Table C.3.e.v. 2) Attach narrative discussion of 100% LID Feasibility or Infeasibility for each project. | | | | |

C.3.h.v.(2) ► Reporting Newly Installed Stormwater Treatment Systems and HM Controls (Optional)

On an annual basis, before the wet season, provide a list of newly installed (installed within the reporting year) stormwater treatment systems and HM controls to the local mosquito and vector control agency and the Water Board. The list shall include the facility locations and a description of the stormwater treatment measures and HM controls installed.

See attached Table C.3.h.v.(2) for list of newly installed Stormwater Treatment Systems/HM Controls.

C.3.h.v.(3)(a) –(c) and (f) ► Installed Stormwater Treatment Systems Operation and Maintenance Verification Inspection Program Reporting

| Site Inspections Data | Number/Percentage |
|--|--------------------|
| Total number of Regulated Projects (including offsite projects, and Regional Projects) in your agency's database or tabular format at the end of the previous fiscal year (FY 17-18) | 79 |
| Total number of Regulated Projects (including offsite projects, and Regional Projects) in your agency's database or tabular format at the end of the reporting period (FY 18-19) | 96 |
| Total number of Regulated Projects (including offsite projects, and Regional Projects) for which O&M verification inspections were conducted during the reporting period (FY 18-19) | 20 |
| Percentage of the total number of Regulated Projects (including offsite projects, and Regional Projects) inspected during the reporting period (FY 18-19) | 25.3% ¹ |

¹ Based on the number of Regulated Projects in the database or tabular format at the end of the previous fiscal year, per MRP Provision C.3.h.ii.(6)(b).

**C.3.h.v.(3)(d)-(e) ► Installed Stormwater Treatment Systems
Operation and Maintenance Verification Inspection Program
Reporting**

Provide a discussion of the inspection findings for the year and any common problems encountered with various types of treatment systems and/or HM controls. This discussion should include a general comparison to the inspection findings from the previous year.

Summary:

This reporting year the inspection program was conducted by a combination of City staff and third-party maintenance companies (for mechanical treatment devices). 16 sites (20% of listed sites) were inspected with City staff O&M inspections, and an additional 4 sites submitted third-party inspection results. 13 installation inspections were performed at sites with new treatment system installations. Next reporting year, at least 20% of O&M sites will again be inspected. This year the most common issue on O&M sites was trash and debris in bioswales, as well as un-cleaned or dirty mechanical devices.

Provide a discussion of the effectiveness of the O&M Program and any proposed changes to improve the O&M Program (e.g., changes in prioritization plan or frequency of O&M inspections, other changes to improve effectiveness program).

Summary:

This year the inspection program was successful. Compliance was very high for inspected sites. A number of sites that failed initially were sites with mechanical filtration devices. Many of these sites opted to contract with a third-party maintenance company, both for cleaning this year and for performing annual maintenance at the site moving forward.

**C.3.i. ► Required Site Design Measures for Small Projects and
Detached Single Family Home Projects**

On an annual basis, discuss the implementation of the requirements of Provision C.3.i, including ordinance revisions, permit conditions, development of standard specifications and/or guidance materials, and staff training.

Summary:

BASMAA prepared standard specifications in four fact sheets regarding the site design measures listed in Provision C.3.i, as a resource for Permittees. We have modified local ordinances/policies/procedures and forms/checklists to require all applicable projects approved after December 1, 2012 to implement at least one of the site design measures listed in Provision C.3.i.

| C.3.j.i.(5).(b) ► Green Infrastructure Plan | | | |
|---|---|--|-----------|
| (For FY 2018-19 Annual Report only) Did your agency complete a Green Infrastructure Plan? | X | Yes, see attached Green Infrastructure Plan | No |
| It can be found on the City's website: https://www.redwoodcity.org/departments/community-development-department/engineering-transportation/engineering/green-infrastructure | | | |

| C.3.j.i.(5).(c) ► Legal Mechanisms | | | |
|--|---|--|-----------|
| (For FY 2018-19 Annual Report only) Does your agency have legal mechanisms in place to ensure implementation of the Green Infrastructure Plan? | X | Yes, see attached documents or links provided below | No |
| If Yes, describe the legal mechanisms in place and the documents attached or links provided. As part of the GI Plan development process, the City of Redwood City has reviewed its existing policies, ordinances, and/or other legal mechanisms related to the implementation of stormwater NPDES permit requirements and found that it has sufficient legal authority to implement the GI Plan. Adoption of the GI Plan by the City Council has further strengthened this authority. Descriptions of and links to documents demonstrating legal authority are provided at the link below. The City adopted ordinance changes for the inclusion of green infrastructure improvements and approved a resolution for implementation on additional developments called the Green Infrastructure Development Standards. They can be found on the City's website: https://www.redwoodcity.org/departments/community-development-department/engineering-transportation/engineering/green-infrastructure | | | |
| If No, provide schedule for completion: | | | |

C.3.j.i.(5)(d) ► Green Infrastructure Outreach

On an annual basis, provide a summary of your agency’s outreach and education efforts pertaining to Green Infrastructure planning and implementation.

Summary:

The engineering division has been the lead in outreach and education efforts since they are responsible for the review of all C.3 regulated projects during entitlements and construction drawing review phases. In addition to the presentations given in the Fiscal years 16-17 & 17-18 Engineering development staff did outreach to City Council and several other City Committees and business groups for GI Plan implementation and policy as identified in the following table:

| Group | Date |
|--|----------------|
| Utilities Sub-Committee | March 13, 2019 |
| City Council (Progress Update) | April 22, 2019 |
| Chamber of Commerce – Economic Development Committee | May 7, 2019 |
| Downtown Business Group | May 8, 2019 |
| Redwood City Improvement Association – Board of Directors | May 8, 2019 |
| Chamber of Commerce - Transportation and Housing Committee | May 9, 2019 |
| Transportation Advisory Committee | May 13, 2019 |
| Parks and Recreation Committee | May 22, 2019 |

Please refer to SMCWPPP FY 2018/19 Annual Report for a summary of outreach efforts implemented at the countywide level.

C.3.j.ii.(2) ► Early Implementation of Green Infrastructure Projects

On an annual basis, submit a list of green infrastructure projects, public and private, that are already planned for implementation during the permit term and infrastructure projects planned for implementation during the permit term that have potential for green infrastructure measures. Include the following information:

- A summary of planning or implementation status for each public and private green infrastructure project that is not also a Regulated Project as defined in Provision C.3.b.ii. (see C.3.j.ii.(2) Table B - Planned Green Infrastructure Projects).
- A summary of how each public infrastructure project with green infrastructure potential will include green infrastructure measures to the maximum extent practicable during the permit term. For any public infrastructure project where implementation of green infrastructure measures is not practicable, submit a brief description of the project and the reasons green infrastructure measures were impracticable to implement (see C.3.j.ii.(2) Table A - Public Projects Reviewed for Green Infrastructure).

Background Information:

Describe how this provision is being implemented by your agency, including the process used by your agency to identify projects with potential for green infrastructure, if applicable.

The City has been able to include green infrastructure elements in several capital improvement projects that would otherwise not have included them. Some of those projects are only small-scale improvements, but larger projects have been able to make use of grant funding for inclusion of green infrastructure elements.

The City has also been requiring several of the major developments to include green infrastructure elements for treatment of right-of-way by requiring it for project approvals. The City has formally adopted this policy and other development standards as of August, 2019.

Summary of Planning or Implementation Status of Identified Projects:

See attached Tables C.3.j.ii.(2)-A and C.3.j.ii.(2)-B for the required information.

C.3.j.iii.(2) and (3) ► Participate in Processes to Promote Green Infrastructure

On an annual basis, report on the goals and outcomes during the reporting year of work undertaken to participate in processes to promote green infrastructure.

(For FY 2018-19 Annual Report only) Submit a plan and schedule for new and ongoing efforts to participate in processes to promote green infrastructure.

Please refer to SMCWPPP FY 2018/19 Annual Report for: 1) a summary of efforts conducted to help regional, State, and federal agencies plan, design and fund incorporation of green infrastructure measures into local infrastructure projects, including transportation projects; and 2) a plan and schedule for new and ongoing efforts to participate in processes to promote green infrastructure.

C.3.j.iv.(2) and (3) ► Tracking and Reporting Progress

On an annual basis, report progress on development and implementation of methods to track and report implementation of green infrastructure measures and provide reasonable assurance that wasteload allocations for TMDLs are being met.

(For FY 2018-19 Annual Report only) Submit the tracking methods used and report implementation of green infrastructure measures including treated area, and connected and disconnected impervious area on both public and private parcels within their jurisdictions.

Please refer to the SMCWPPP FY 2018/19 Annual Report for: 1) a summary of methods being developed to track and report implementation of green infrastructure measures; and 2) a report on green infrastructure measures implemented to date, including acres of impervious area (total and treated), countywide and by Permittee.

C.3.b.iv.(2) ► Regulated Projects Reporting Table (part 1) – Projects Approved During the Fiscal Year Reporting Period

| Project Name Project No. | Project Location ² , Street Address | Name of Developer | Project Phase No. ³ | Project Type & Description ⁴ | Project Watershed ⁵ | Total Site Area (Acres) | Total Area of Land Disturbed (Acres) | Total New Impervious Surface Area (ft ²) ⁶ | Total Replaced Impervious Surface Area (ft ²) ⁷ | Total Pre- Project Impervious Surface Area ⁸ (ft ²) | Total Post- Project Impervious Surface Area ⁹ (ft ²) |
|-----------------------------|---|---------------------------------|--------------------------------------|---|--------------------------------|----------------------------------|--|--|--|--|---|
| Private Projects | | | | | | | | | | | |
| 211/217 Vera CP19-0045 | 211/217 Vera Avenue, Redwood City, CA | Dutchints Development, LLC | N/A | A condominium project with 10 units | Redwood Creek | 0.48 | 0.48 | 0 | 13,627 | 16,101 | 13,627 |
| 120 El Camino Real | 120 El Camino Real, Redwood City, CA | Helen Wu | N/A | A condominium project with 12 units | Redwood Creek | 0.44 | 0.44 | 0 | 14,915 | 17,140 | 14,915 |
| 1401 Broadway | 1401 Broadway, Redwood City, CA | Sobrato, Inc. | N/A | A mixed-use project including 520 residential units, 420,000 SF office, 26,000 SF retail, 10,000 SF of childcare and 1.6 acres of open space over two levels of underground parking. | Bayfront Canal | 11.21 | 11.21 | 0 | 461,660 | 468,517 | 461,660 |
| 610 Walnut | 610 Walnut Street Redwood City, CA | Windy Hill Property Ventures | N/A | A 6-story commercial building over 1 level of underground parking | Redwood Creek | 0.42 | 0.42 | 1,583 | 16,455 | 16,455 | 18,038 |

²Include cross streets

³If a project is being constructed in phases, indicate the phase number and use a separate row entry for each phase. If not, enter "NA".

⁴Project Type is the type of development (i.e., new and/or redevelopment). Example descriptions of development are: 5-story office building, residential with 160 single-family homes with five 4-story buildings to contain 200 condominiums, 100 unit 2-story shopping mall, mixed use retail and residential development (apartments), industrial warehouse.

⁵State the watershed(s) in which the Regulated Project is located. Downstream watershed(s) may be included, but this is optional.

⁶All impervious surfaces added to any area of the site that was previously existing pervious surface.

⁷All impervious surfaces added to any area of the site that was previously existing impervious surface.

⁸For redevelopment projects, state the pre-project impervious surface area.

⁹For redevelopment projects, state the post-project impervious surface area.

C.3.b.iv.(2) ► Regulated Projects Reporting Table (part 1) – Projects Approved During the Fiscal Year Reporting Period

| Project Name Project No. | Project Location ² , Street Address | Name of Developer | Project Phase No. ³ | Project Type & Description ⁴ | Project Watershed ⁵ | Total Site Area (Acres) | Total Area of Land Disturbed (Acres) | Total New Impervious Surface Area (ft ²) ⁶ | Total Replaced Impervious Surface Area (ft ²) ⁷ | Total Pre- Project Impervious Surface Area ⁸ (ft ²) | Total Post- Project Impervious Surface Area ⁹ (ft ²) |
|---|---|----------------------|--------------------------------------|---|--------------------------------|----------------------------------|--|--|--|--|---|
| 1690 Broadway | 1690 Broadway, Redwood City, CA | RWC Hospitality, LP | N/A | A five story hotel with 112 rooms | Redwood Creek | 0.46 | 0.46 | 0 | 17,778 | 17,778 | 20,358 |
| Public Projects | | | | | | | | | | | |
| Veterans Memorial Senior Center | Red Morton Park, Redwood City, CA | City of Redwood City | N/A | The VMSC-YMCA is a joint development project for an intergenerational recreational center in Red Morton Park. | Redwood Creek | 6.99 | 2.35 | 0 | 63,379 | 63,379 | 71,534 |
| Comments: The Veterans Memorial Senior Center was not previously identified because the approval was for a schematic design, and staff did not realize that this was the only approval required prior to the construction award. | | | | | | | | | | | |

**C.3.b.iv.(2) ► Regulated Projects Reporting Table (part 2) –
 Projects Approved During the Fiscal Year Reporting Period
 (private projects)**

| Project Name Project No. | Application Deemed Complete Date ¹⁰ | Application Final Approval Date ¹¹ | Source Control Measures ¹² | Site Design Measures ¹³ | Treatment Systems Approved ¹⁴ | Type of Operation & Maintenance Responsibility Mechanism ¹⁵ | Hydraulic Sizing Criteria ¹⁶ | Alternative Compliance | Alternative Certification ¹⁹ | HM Controls ^{20/21} |
|-----------------------------|---|--|--|---|---|--|---|---------------------------|--|---|
| Private Projects | | | | | | | | | | |
| 211/217 Vera | 12/4/2018 | 12/4/2018 | Label storm drain inlets, plumb floor drains to sewer, appropriate plant selection, design for discharge of fire sprinkler test water to landscape | Direct runoff (sidewalk, walkways) to vegetated areas, self-retaining areas | Bioretention areas meeting biotreatment requirements of C.3.c | Stormwater Treatment Measures Maintenance Agreement, requires the owner to perform routine maintenance | 4% Method (criteria 2.c) | None | No, project reviewed in-house | N/A, this project is not subject to HM controls because it is part of the exempt area |
| 120 El Camino Real | 4/2/2019 | 4/2/2019 | Label storm drain inlets, plumb floor drains to sewer, appropriate plant selection, design for discharge of fire sprinkler test water to landscape | Direct runoff (sidewalk, walkways) to vegetated areas | Bioretention areas meeting biotreatment requirements of C.3.c | Stormwater Treatment Measures Maintenance Agreement, requires the owner to perform routine maintenance | 4% Method (criteria 2.c) and Combination flow and volume (criteria 3) | None | No, project reviewed in-house | N/A, this project is not subject to HM controls because it is part of the exempt area |

¹⁰For private projects, state project application deemed complete date. If the project did not go through discretionary review, report the building permit issuance date.

¹¹For private projects, state project application final discretionary approval date. If the project did not go through discretionary review, report the building permit issuance date.

¹²List source control measures approved for the project. Examples include: properly designed trash storage areas; storm drain stenciling or signage; efficient landscape irrigation systems; etc.

¹³List site design measures approved for the project. Examples include: minimize impervious surfaces; conserve natural areas, including existing trees or other vegetation, and soils; construct sidewalks, walkways, and/or patios with permeable surfaces, etc.

¹⁴List all approved stormwater treatment system(s) to be installed onsite or at a joint stormwater treatment facility (e.g., flow through planter, bioretention facility, infiltration basin, etc.).

¹⁵List the legal mechanism(s) (e.g., O&M agreement with private landowner; O&M agreement with homeowners' association; O&M by public entity, etc...) that have been or will be used to assign responsibility for the maintenance of the post-construction stormwater treatment systems.

¹⁶See Provision C.3.d.i. "Numeric Sizing Criteria for Stormwater Treatment Systems" for list of hydraulic sizing design criteria. Enter the corresponding provision number of the appropriate criterion (i.e., 1.a., 1.b., 2.a., 2.b., 2.c., or 3).

¹⁷For Alternative Compliance at an offsite location in accordance with Provision C.3.e.i.(1), on a separate page, give a discussion of the alternative compliance site including the information specified in Provision C.3.b.v.(1)(m)(i) for the offsite project.

¹⁸For Alternative Compliance by paying in-lieu fees in accordance with Provision C.3.e.i.(2), on a separate page, provide the information specified in Provision C.3.b.v.(1)(m)(ii) for the Regional Project.

¹⁹Note whether a third party was used to certify the project design complies with Provision C.3.d.

²⁰If HM control is not required, state why not.

²¹If HM control is required, state control method used (e.g., method to design and size device(s) or method(s) used to meet the HM Standard, and description of device(s) or method(s) used, such as detention basin(s), bioretention unit(s), regional detention basin, or in-stream control).

**C.3.b.iv.(2) ► Regulated Projects Reporting Table (part 2) – g
 Projects Approved During the Fiscal Year Reporting Period
 (private projects)**

| Project Name Project No. | Application Deemed Complete Date ¹⁰ | Application Final Approval Date ¹¹ | Source Control Measures ¹² | Site Design Measures ¹³ | Treatment Systems Approved ¹⁴ | Type of Operation & Maintenance Responsibility Mechanism ¹⁵ | Hydraulic Sizing Criteria ¹⁶ | Alternative Compliance Measures ^{17/18} | Alternative Certification ¹⁹ | HM Controls ^{20/21} |
|-----------------------------|---|--|--|--|---|--|---|--|--|---|
| 1401 Broadway | 5/20/2019 | 5/20/2019 | Label storm drain inlets, plumb floor drains to sewer, appropriate plant selection, provide sewer connection for pool drain, provide roofed and enclosed refuse area, design for discharge of fire sprinkler test water to landscape | Direct runoff (sidewalk, walkways) to vegetated areas, self-treating areas | Flow-Through Planters meeting biotreatment requirements of C.3.c | Stormwater Treatment Measures Maintenance Agreement, requires the owner to perform routine maintenance | 4% Method (criteria 2.c) and Combination flow and volume (criteria 3) | None | No, project reviewed in-house | N/A, this project is not subject to HM controls because it is part of the exempt area |
| 610 Walnut | 2/19/2019 | 2/19/2019 | Label storm drain inlets, plumb floor drains to sewer, appropriate plant selection, provide roofed and enclosed refuse area, design for discharge of fire sprinkler test water to landscape | Direct runoff (sidewalk, walkways) to vegetated areas | Media filter meeting treatment requirement of C.3.d | Stormwater Treatment Measures Maintenance Agreement, requires the owner to perform routine maintenance | Flow-based for media filter (criteria 2.c) | None | No, project reviewed in-house | N/A, this project is not subject to HM controls because it is part of the exempt area |
| 1690 Broadway | 3/7/19 | 3/7/19 | Label storm drain inlets, appropriate plant selection | Direct runoff (roof) to vegetated areas. | Bioretention areas meeting biotreatment requirements of C.3.c; Media filter meeting treatment requirement of C.3.d | Stormwater Treatment Measures Maintenance Agreement, requires the owner to perform routine maintenance | 4% Method (criteria 2.c) and Combination flow and volume (criteria 3) | None | No, project reviewed in-house | N/A, this project does not have over 1 acre of impervious surfaces |

**C.3.b.iv.(2) ► Regulated Projects Reporting Table (part 2) –
 Projects Approved During the Fiscal Year Reporting Period
 (public projects)**

| Project Name Project No. | Approval Date ²² | Date Construction Scheduled to Begin | Source Control Measures ²³ | Site Design Measures ²⁴ | Treatment Systems Approved ²⁵ | Operation & Maintenance Responsibility Mechanism ²⁶ | Hydraulic Sizing Criteria ²⁷ | Alternative Compliance Measures ^{28/29} | Alternative Certification ³⁰ | HM Controls ^{31/32} |
|---------------------------------|-----------------------------|--------------------------------------|--|--|---|--|---|--|---|---|
| Veterans Memorial Senior Center | May 21, 2018 | January, 2019 | Label storm drain inlets, retain existing vegetation, appropriate plant selection, use efficient irrigation system | Direct runoff (sidewalks, walkways, roofs, and uncovered parking) onto vegetated areas, conserve natural areas, including existing trees, other vegetation and soils | Bioretention areas meeting biotreatment requirements of C.3.c; self-retaining areas | City-owned property. Treatment systems will be maintained by the City. | 4% method for bioretention areas (criteria 2.c), 2:1 max for self-retaining areas | None | No, project reviewed in-house | N/A, this project is not subject to HM controls because it is part of the exempt area |
| Comments: | | | | | | | | | | |

²²For public projects, enter the plans and specifications approval date.

²³List source control measures approved for the project. Examples include: properly designed trash storage areas; storm drain stenciling or signage; efficient landscape irrigation systems; etc.

²⁴List site design measures approved for the project. Examples include: minimize impervious surfaces; conserve natural areas, including existing trees or other vegetation, and soils; construct sidewalks, walkways, and/or patios with permeable surfaces, etc.

²⁵List all approved stormwater treatment system(s) to be installed onsite or at a joint stormwater treatment facility (e.g., flow through planter, bioretention facility, infiltration basin, etc.).

²⁶List the legal mechanism(s) (e.g., maintenance plan for O&M by public entity, etc.) that have been or will be used to assign responsibility for the maintenance of the post-construction stormwater treatment systems.

²⁷See Provision C.3.d.i. "Numeric Sizing Criteria for Stormwater Treatment Systems" for list of hydraulic sizing design criteria. Enter the corresponding provision number of the appropriate criterion (i.e., 1.a., 1.b., 2.a., 2.b., 2.c., or 3).

²⁸For Alternative Compliance at an offsite location in accordance with Provision C.3.e.i.(1), on a separate page, give a discussion of the alternative compliance site including the information specified in Provision C.3.b.v.(1)(m)(i) for the offsite project.

²⁹For Alternative Compliance by paying in-lieu fees in accordance with Provision C.3.e.i.(2), on a separate page, provide the information specified in Provision C.3.b.v.(1)(m)(ii) for the Regional Project.

³⁰Note whether a third party was used to certify the project design complies with Provision C.3.d.

³¹If HM control is not required, state why not.

³²If HM control is required, state control method used (e.g., method to design and size device(s) or method(s) used to meet the HM Standard, and description of device(s) or method(s) used, such as detention basin(s), bioretention unit(s), regional detention basin, or in-stream control).

C.3.h.v.(2). ► Table of Newly Installed³³ Stormwater Treatment Systems and Hydromodification Management (HM) Controls (Optional)

Fill in table below or attach your own table including the same information.

| Name of Facility | Address of Facility | Party Responsible³⁴ For Maintenance | Type of Treatment/HM Control(s) |
|-----------------------------|-----------------------------|---|--|
| Burger King | 575 El Camino Real | Property Owner | Bioretention Area |
| 1305 El Camino Real | 1305 El Camino Real | Property Owner | Media Filters and Vault Detention System |
| 150 El Camino Real | 150 El Camino Real | Homeowners Association | Bioretention Area and Detention Pipes |
| Stanford Clinics | 420/450 Broadway | Property Owner | Media Filter & Bioretention Areas |
| Stanford Redwood City | 485 Broadway | Property Owner | Bioretention Areas |
| 700/720/740 Bay Road | 700/720/740 Bay Road | Property Owner | Bioretention Areas |
| 1629 Main Street | 1629 Main Street | Property Owner | Bioretention Areas |
| 2215 El Camino Real | 2215 El Camino Real | Property Owner | Bioretention Areas |
| Carlson Porsche | 3636 Haven | Property Owner | Pervious Pavement |
| 849 Veterans | 849 Veterans | Property Owner | Bioretention Areas & Pervious Pavements |
| CA National Guard Armory | 939 Valota Road | City | Bioretention Areas |
| 1100/1600/1900 Seaport Blvd | 1100/1600/1900 Seaport Blvd | Property Owner | Bioretention Areas |
| Oracle | 10 Twin Dolphin | Property Owner | Bioretention Areas |

³³ "Newly Installed" includes those facilities for which the final installation inspection was performed during this reporting year.

³⁴ State the responsible operator for installed stormwater treatment systems and HM controls.

| C.3.e.v. Special Projects Reporting Table | | | | | | | | | | | | |
|--|--------------|---------------------------------------|--|--|---|--------------------|------------------------|-------------|--|---|--|---|
| Reporting Period – July 1 2018 - June 30, 2019 | | | | | | | | | | | | |
| Project Name & No. | Permittee | Address | Application Submittal Date ³⁵ | Status ³⁶ | Description ³⁷ | Site Total Acreage | Gross Density DU/ Acre | Density FAR | Special Project Category ³⁸ | LID Treatment Reduction Credit Available ³⁹ | List of LID Stormwater Treatment Systems ⁴⁰ | List of Non-LID Stormwater Treatment Systems ⁴¹ |
| 610 Walnut | Redwood City | 610 Walnut Street, Redwood City 94063 | 3/12/2018 | <p>Approved;</p> <p>Final discretionary approval issued 2/19/2019;</p> <p>Reporting based on plans dated 12/18/2018</p> | 6-story building containing 63,835 SF of commercial office, 4 stories over 3 stories of parking, 1 of which is subterranean parking | 0.42 acres | N/A | 2.4:1 | <p>Category A: Located in the Downtown Core Area;</p> <p>100% Site Coverage;</p> <p>Creates and/or replaces 0.5 acres or less of impervious surface;</p> <p>Includes no surface parking;</p> | <p>Category A: 100%</p> <p>100% Allowable Credit</p> | None | 100% media filter by Kristar; meets specifications of the Western Washington Technical Assessment Protocol – Ecology (TAPE) program |

³⁵Date that a planning application for the Special Project was submitted.

³⁶ Indicate whether final discretionary approval is still pending or has been granted, and provide the date or version of the project plans upon which reporting is based.

³⁷Type of project (commercial, mixed-use, residential), number of floors, number of units, type of parking, and other relevant information.

³⁸ For each applicable Special Project Category, list the specific criteria applied to determine applicability. For each non-applicable Special Project Category, indicate n/a.

³⁹For each applicable Special Project Category, state the maximum total LID Treatment Reduction Credit available. For Category C Special Projects also list the individual Location, Density, and Minimized Surface Parking Credits available.

⁴⁰: List all LID stormwater treatment systems proposed. For each type, indicate the percentage of the total amount of runoff identified in Provision C.3.d. for the Special Project's drainage area.

⁴¹List all non-LID stormwater treatment systems proposed. For each type of non-LID treatment system, indicate: (1) the percentage of the total amount of runoff identified in Provision C.3.d. for the Special Project's drainage area, and (2) whether the treatment system either meets minimum design criteria published by a government agency or received certification issued by a government agency, and reference the applicable criteria or certification.

| | | | | | | | | | | | | |
|---|-------------------------|---|------------------|---|--|----------------------|--------------------------|----------------|--|---|---|--|
| <p>150 Charter</p> | <p>Redwood City</p> | <p>150 Charter Street, Redwood City 94063</p> | <p>5/08/2019</p> | <p>Under Review; Final discretionary approval not issued yet; Reporting based on plans dated 5/13/2018</p> | <p>4-story residential building containing 72 units</p> | <p>1.8 acres</p> | <p>40 DU/a c</p> | <p>N/A</p> | <p>Category C: Located within a planned PDA; FAR > 2:1; No surface parking</p> | <p>Category C: 55% 55% Allowable Credit</p> | <p>45% comprised of 100% Flow- Through Planter</p> | <p>100% media filter by Kristar; meets specifications of the Western Washington Technical Assessment Protocol – Ecology (TAPE) program</p> |
| <p>1601 El Camino Real</p> | <p>Redwood City</p> | <p>1601 El Camino Real, Redwood City, 94063</p> | <p>2/14/2019</p> | <p>Under Review; Final discretionary approval not issued yet; Reporting based on plans dated 1/31/2019</p> | <p>Mixed-use redevelopment on 5 blocks including 252 multifamily residential units, 550,143 SF of office, 8,860 SF of retail, 18,878 SF of</p> | <p>8.3 acres</p> | <p>N/A</p> | <p>>2:1</p> | <p>Category C: Located within a planned PDA; FAR > 2:1; No surface parking</p> | <p>Category C: 55% 55% Allowable Credit</p> | <p>45% comprised of 100% Flow- Through Planter</p> | <p>100% media filter by Kristar; meets specifications of the Western Washington Technical Assessment Protocol – Ecology (TAPE) program</p> |

FY 2018-2019 Annual Report
Permittee Name: City of Redwood City

C.3 – New Development and Redevelopment

Special Projects Narrative
See attached narratives.

| C.3.j.ii.(2) ► Table A - Public Projects Reviewed for Green Infrastructure | | | | |
|---|---|---|----------------------------------|---|
| Project Name and Location⁴² | Project Description | Status⁴³ | GI Included?⁴⁴ | Description of GI Measures Considered and/or Proposed or Why GI is Impracticable to Implement⁴⁵ |
| Roselli Garden - Downtown Library Park – 1668 Middlefield Road | The project proposes to renovate the existing park or swap location with the adjacent parking lot that serves the library and downtown. | On Hold for completion of Downtown Park Feasibility Plan expected to be completed Fall 2019 | TBD | Bioretention cells and self-retaining areas will be considered for new and replaced impervious surfaces. |
| Garrett Park Rehabilitation – 3654 Glenwood Ave | This neighborhood park is scheduled for a playground renovation. | Preparing RFP of consulting services Fall 2019 | TBD | Bioretention cells and self-retaining areas will be considered for new and replaced impervious surfaces. |
| Community Garden – Maple & Lathrop | This project proposes to build raised beds and a fruit alley to form a community garden on a vacant city-owned parcel. | On hold due to Land Title issues | TBD | Bioretention cells and self-retaining areas will be considered for new and replaced impervious surfaces. |
| Hopkins Traffic Calming Project | This project will install traffic calming measures based on Public outreach in the neighborhood surrounding the project area | Pilot Project with temporary improvements | TBD | Bioretention cells areas will be considered for use in bulb-outs to treat street runoff. |

⁴² List each public project that is going through your agency's process for identifying projects with green infrastructure potential.

⁴³ Indicate status of project, such as: beginning design, under design (or X% design), projected completion date, completed final design date, etc.

⁴⁴ Enter "Yes" if project will include GI measures, "No" if GI measures are impracticable to implement, or "TBD" if this has not yet been determined.

⁴⁵ Provide a summary of how each public infrastructure project with green infrastructure potential will include green infrastructure measures to the maximum extent practicable during the permit term. If review of the project indicates that implementation of green infrastructure measures is not practicable, provide the reasons why green infrastructure measures are impracticable to implement.

C.3.j.ii.(2) ► Table B - Planned and/or Completed Green Infrastructure Projects

| Project Name and Location ⁴⁶ | Project Description | Planning or Implementation Status | Green Infrastructure Measures Included |
|---|--|-----------------------------------|--|
| Middlefield Road Utility Underground Project – Middlefield Road between Woodside Road and Main Street | The Middlefield Road project includes construction of a joint utility trench (JUT) to accommodate new and relocated underground electrical and telecommunication lines, as well as streetscape improvements between Main Street and Woodside Road. | Under Construction | Bio-retention areas to treat street runoff |
| Kennedy Safe Routes to School Project | The Kennedy Safe Routes to School (SRTS) project will construct high-priority, recommended improvements from a walking and bicycling audit | Under Construction | Bio-retention areas to treat street runoff |
| Stanford Neighborhood Street Enhancement Project | Stanford Neighborhood Street Enhancement Project will construct safe routes to school pedestrian improvements and other high-priority, recommended improvements from Public outreach in the neighborhood surrounding the Stanford development project. | Under Construction | Bio-retention areas to treat street runoff |
| 601 El Camino Real | A private development required to treat the public right-of-way in Hopkins Ave | Under Construction | Bio-retention areas to treat street runoff |

⁴⁶ List each planned (and expected to be funded) public and private green infrastructure project that is not also a Regulated Project as defined in Provision C.3.b.ii. Note that funding for green infrastructure components may be anticipated but is not guaranteed to be available or sufficient.

| | | | |
|---|--|-----------------------------------|---|
| | between El Camino Real and the train tracks | | |
| 815 Hamilton | A private development that directed runoff from an adjoining property to the public right-of-way in Hamilton Street | Completed | Bio-retention area to treat runoff from an adjoining property |
| Stanford Phase 1 | A private development that is treating runoff from the right-of-way in Bay Road at between El Camino Real and the train tracks | Completed | Bio-retention area to treat street runoff |
| 515 Cleveland St | A private development required to treat the public right-of-way tributary to the property frontage on Cleveland St and Harrison Ave | Design Review | Bio-retention area to treat street runoff |
| 211 Vera St | A private development required to treat the public right-of-way tributary to the property frontage on Vera St | Design Review | Bio-retention area to treat street runoff |
| 1180 Main St | A private development required to treat the public right-of-way tributary to the property frontage on Elm St | Design Review | Bio-retention area to treat street runoff |
| 610 Walnut St | A private development required to treat the public right-of-way tributary to the property frontage on Bradford St and Walnut St | Design Review | Bio-retention area and Silva cells to treat street runoff |
| 1401 Broadway | A private development required to treat the public right-of-way tributary to the property frontage on Chestnut St, Bay Rd and Broadway | Design Review | Bio-retention area to treat street runoff |
| Veterans Memorial Senior Center - YMCA Project – 1400 Roosevelt Ave | The VMSC-YMCA is a joint development project for an intergenerational | Final EIR & Construction Drawings | Bio-retention area to treat street runoff |

| | | | |
|---------------|---|---------------|---|
| | recreational center in Red Morton Park. The first phase is a capital improvement project that will develop the City's portion of the project and will treat the public right-of-way tributary to the property frontage on Madison Ave | | |
| 1690 Broadway | A private development required to treat the public right-of-way tributary to the property frontage on Beech St and Broadway | Design Review | Bio-retention area and Silva cells to treat street runoff |

Section 4 – Provision C.4 Industrial and Commercial Site Controls

Program Highlights and Evaluation

Highlight/summarize activities for reporting year:

Summary:

In FY 18-19, the City updated its facilities list, inspection frequencies and priorities; conducted business inspections; trained inspectors; and participated in the SMCWPPP CII Subcommittee.

Refer to the C.4. Industrial and Commercial Site Controls section of SMCWPPP's FY 2018/19 Annual Report for a description of activities of the Program.

C.4.b.iii ► Potential Facilities List (i.e., List of All Facilities Requiring Stormwater Inspections)

List below or attach your list of industrial and commercial facilities in your Inspection Plan to inspect that could reasonably be considered to cause or contribute to pollution of stormwater runoff.

See attached list.

C.4.d.iii.(2)(a) & (c) ► Facility Inspections

Fill out the following table or attach a summary of the following information. Indicate your reporting methodology below.

Permittee reports multiple discrete potential and actual discharges at a site as one enforcement action.

Permittee reports the total number of discrete potential and actual discharges on each site.

| | Number |
|--|--------|
| Total number of inspections conducted (C.4.d.iii.(2)(a)) | 438 |
| Violations, enforcement actions, or discrete number of potential and actual discharges resolved within 10 working days or otherwise deemed resolved in a longer but still timely manner (C.4.d.iii.(2)(c)) | 19 |
| Comments: | |
| There were 418 businesses inspected, with 20 reinspections due to verbal warnings. These were resolved, except for one business with a prior history of issues that had previously been moved to a higher inspection frequency. This business was reinspected a second time, and the issues were resolved. | |

C.4.d.iii.(2)(b) ▶ Frequency and Type of Enforcement Conducted

Fill out the following table or attach a summary of the following information.

| | Enforcement Action (as listed in ERP) ¹ | Number of Enforcement Actions Taken |
|--------------|--|--|
| Level 1 | Verbal Warning/Warning Notice | 20 |
| Level 2 | Notice of Violation | 0 |
| Level 3 | Administrative Order/Notice to Comply | 0 |
| Level 4 | Administrative Penalty/Legal Action | 0 |
| Total | | 20 |

C.4.d.iii.(2)(d) ▶ Frequency of Potential and Actual Non-stormwater Discharges by Business Category

Fill out the following table or attach a summary of the following information.

| Business Category² | Number of Actual Discharges | Number of Potential Discharges |
|--------------------------------------|------------------------------------|---------------------------------------|
| Food | 0 | 6 |
| Automotive | 0 | 4 |
| Municipal/Schools | 0 | 0 |
| Industrial/Manufacturing | 0 | 0 |
| Miscellaneous/Other | 0 | 10 |

C.4.d.iii.(2)(e) ▶ Non-Filers

List below or attach a list of the facilities required to have coverage under the Industrial General Permit but have not filed for coverage:

There were no industries identified as non-filers during scheduled inspections during this fiscal year.

¹Agencies to list specific enforcement actions as defined in their ERPs.

²List your Program's standard business categories.

| C.4.e.iii ► Staff Training Summary | | | | | | |
|---|-----------------------|--|--|--|---|---|
| Training Name | Training Dates | Topics Covered | No. of Industrial/ Commercial Site Inspectors in Attendance | Percent of Industrial/ Commercial Site Inspectors in Attendance | No. of IDDE Inspectors in Attendance | Percent of IDDE Inspectors in Attendance |
| Stormwater Business Inspections | 9/7/2018 | Inspection procedures, Appropriate BMPs to be used at different industrial and commercial facilities (3-hr training) | 5 | 83% | 0 | 0 |
| | | | | | | |
| Comments: | | | | | | |

Section 5 – Provision C.5 Illicit Discharge Detection and Elimination

Program Highlights and Evaluation

Highlight/summarize activities for reporting year:

Provide background information, highlights, trends, etc.

Summary:

Redwood City staff responds to any reported illicit discharges by first investigating the reported scene. Investigation can occur either by Public Works or Code enforcement staff. Reports of discharges can occur either through telephone or Redwood City's public engagement tool, "myRWC" by PublicStuff. myRWC is a free smartphone application (also available via web browser) whereby the public can report issues through their phone. This medium allows pictures with GPS to be attached and the submission by the resident is routed to the appropriate staff member based upon complaint or issue. Follow-up, including messages and contact information, can also be input through this system. In addition, any issues reported directly to Public Works staff are entered into the myRWC database to help track and respond to complaints.

City staff participates in the SMCWPPP Commercial, Industrial, and Illicit Discharge (CI) Subcommittee.

Please refer to the C.5 Illicit Discharge Detection and Elimination section of the SMCWPPP FY 18-19 Annual Report for description of activities at the countywide or regional level.

C.5.c.iii ► Complaint and Spill Response Phone Number

Summary of any changes made during FY 18-19.

No Change

C.5.d.iii.(1), (2), (3) ► Spill and Discharge Complaint Tracking

Spill and Discharge Complaint Tracking (fill out the following table or include an attachment of the following information)

| | Number |
|--|--------|
| Discharges reported (C.5.d.iii.(1)) | 7 |
| Discharges reaching storm drains and/or receiving waters (C.5.d.iii.(2)) | 2 |
| Discharges resolved in a timely manner (C.5.d.iii.(3)) | 2 |
| Comments: | |

Of the seven reports, two reports were unsubstantiated after investigation, three reports involved no illicit discharge into the storm system (no storm drain downstream), one report involved a minimal amount of paint (a few ounces) discharged into a storm drain and recovered by wet vacuum (the area was professionally cleaned), and one report involved a water main break.

C.5.e.iii.(2) ► Control of Mobile Sources

| |
|---|
| <p>(a) Provide changes to your agency's minimum standards and BMPs for each of the various types of mobile businesses since the 2017 Annual Report (C.5.e.iii.(2)(a))</p> |
| <p>The City of Redwood City follows the minimum standards and BMPs described in the "Best Management Practices for Mobile Businesses" fact sheet recently updated by the SMCWPPP CII Subcommittee in April 2019 for the following mobile business categories: automobile washers/detailers, power washers, carpet cleaners, steam cleaners, pet care services. The format of the fact sheet was update but there have been no changes to the BMPs since the 2017 Annual Report.</p> |
| <p>(b) Provide changes to your agency's enforcement strategy for mobile businesses (C.5.e.iii.(2)(b))</p> |
| <p>Stormwater inspectors find mobile businesses improperly discharging wash water to the street, gutter, storm drain, etc. through complaint investigations or during routine field work. Inspectors issue enforcement actions and track the facility through the City's Illicit Discharge spill and discharge complaint tracking system according to MRP C.5.d.</p> <p>Enforcement actions stormwater inspectors may take are detailed in our Enforcement Response Plan (ERP). Due to the unique nature of mobile businesses it can be difficult to track enforcement of a single business across jurisdictions. The current strategy is for agencies to share information on mobile business enforcement actions with the SMCWPPP CII Subcommittee facilitator. The Subcommittee facilitator periodically updates the Mobile Business Enforcement Information table that resides on the members' only section of the Program's website (flowstobay.org).</p> <p>Since FY 2013/14 SMCWPPP's enforcement strategy has been to track mobile business enforcement actions from SMCWPPP permittees in a table available on the SMCWPPP CII members-only webpage. The tracking table is periodically updated.</p> |
| <p>(c) Provide minimum standards and BMPs developed for additional types of mobile businesses addressed since 2017 Annual Report (C.5.e.iii.(2)(c))</p> |
| <p>SMCWPPP has not developed minimum standards and BMPs for additional types of mobile businesses other than those described in (a) above.</p> |

| |
|---|
| <p>(d) Provide a list and summary of the specific outreach events and education conducted to each type of mobile business operating within your jurisdiction during the Permit term (C.5.e.iii.(2)(d):</p> |
| <p>Refer to the C.5 Illicit Discharge Detection and Elimination section of SMCWPPP's FY 2018/19 Annual Report for a description of activities at the countywide or regional level.</p> |
| <p>(e) Discuss inspections conducted at mobile businesses and/or job sites (C.5.e.iii.(2)(e)</p> |
| <p>Stormwater inspectors find mobile businesses improperly discharging wash water to the street, gutter, storm drain, etc. through complaint investigations or during routine field work. Inspectors follow the minimum standards and BMPs described in the "Best Management Practices for Mobile Businesses" fact sheet recently updated by the SMCWPPP CII Subcommittee in April 2019 for the following mobile business categories: automobile washers/detailers, power washers, carpet cleaners, steam cleaners, pet care services.</p> |
| <p>(f) List below or attach the list of mobile businesses operating within your agency's jurisdiction (C.5.e.iii.(2)(f))</p> |
| <p>In FY 2016/17 SMCWPPP compiled an inventory of mobile businesses located in Santa Mateo County. The inventory was developed by reviewing lists provided by individual agencies, yellow page searches and online business searches. The inventory includes automotive washing, steam cleaning, power washing, pet care services and carpet cleaning mobile businesses. The inventory is periodically updated with mobile businesses stormwater inspectors observe during routine field activities, including responding to illicit discharges. The inventory is made available to all San Mateo County Permittees on the SMCWPPP CII members-only webpage. The inventory is included in SMCWPPP's FY 2018/19 Annual Report and currently has approximately 175 mobile businesses.</p> |
| <p>(g) Discuss enforcement actions taken against mobile businesses during the Permit term (C.5.e.iii.(2)(g))</p> |
| <p>Enforcement actions are typically taken in response to a complaint or illicit discharge through our IDDE Program. Enforcement actions are tracked in the municipality's spill and discharge complaint tracking system required by MRP C.5.d.ii. There were zero enforcement actions taken for mobile businesses.</p> |

C.5.f.iii ► MS4 Map Availability

| |
|---|
| <p>Discuss how you make your MS4 map available to the public and how you publicize the availability of the MS4 map.</p> |
| <p>Storm infrastructure information is available to the public through the City's publicly accessible GIS site: http://webgis.redwoodcity.org/community/ Block maps are accessible to the public upon request to Engineering at the front counter in City Hall, 1017 Middlefield Road, Redwood City, CA 94063. MS4 maps are also available to the public on the Oakland Museum Creek Mapping Project website: http://explore.museumca.org/creeks/crkmmap.html</p> |

Section 6 – Provision C.6 Construction Site Controls

| C.6.e.iii.(3)(a), (b), (c), (d) ▶ Site/Inspection Totals | | | |
|---|---|--|--|
| Number of active Hillside Sites (sites disturbing < 1 acre of soil requiring storm water runoff quality inspection) (C.6.e.iii.3.a) | Number of High Priority Sites (sites disturbing < 1 acre of soil requiring storm water runoff quality inspection) (C.6.e.iii.3.c) | Number of sites disturbing ≥ 1 acre of soil (C.6.e.iii.3.b) | Total number of storm water runoff quality inspections conducted (include only Hillside Sites, High Priority Sites and sites disturbing 1 acre or more) (C.6.e.iii.3.d) |
| 0 | 5 | 9 | 89 |
| <p>Comments: Of the 14 sites, 11 lasted through the entire wet season and many re-inspections occurred after enhanced enforcement to start the wet season in October. The 5 high priority sites were generally in the downtown area.</p> | | | |
| <p>Provide the number of inspections that are conducted at sites not within the above categories as part of your agency's inspection program and a general description of those sites, if available or applicable. Does not Apply</p> | | | |

C.6.e.iii.(3)(e) ► Construction Related Storm Water Enforcement Actions

| | Enforcement Action (as listed in ERP) ¹ | Number Enforcement Actions Issued |
|----------------------|--|--|
| Level 1 ² | Verbal / Written Notice | 8 |
| Level 2 | Notice of Violation | 3 |
| Level 3 | Notice to Comply | 2 |
| Level 4 | Administrative Penalty/Legal Action | 0 |
| Total | | 13 |

C.6.e.iii.(3)(f), ► Illicit Discharges

| | Number |
|--|---------------|
| Number of illicit discharges, actual and those inferred through evidence at hillside sites, high priority sites and sites that disturb 1 acre or more of land (C.6.e.iii. 3.f) | 0 |

C.6.e.iii.(3)(g) ► Corrective Actions

| | |
|---|---------------|
| Indicate your reporting methodology below. | |
| Permittee reports multiple discrete potential and actual discharges at a site as one enforcement action. | |
| X Permittee reports the total number of discrete potential and actual discharges on each site. | |
| | Number |
| Enforcement actions or discrete potential and actual discharges fully corrected within 10 business days after violations are discovered or otherwise considered corrected in a timely period (C.6.e.iii. .3.g) | 9 |
| Comments: Four of the 13 enforcement actions were on one site that required escalation to enforce compliance with good housekeeping requirements, which is why full corrective actions took longer than 10 business days to gain full compliance. This site was issued NOVs followed by NTCs before performing corrective actions. No actual illicit discharges were observed during the time period before corrective actions were in place. | |

¹Agencies should list the specific enforcement actions as defined in their ERPs.

²For example, Enforcement Level 1 may be Verbal Warning.

C.6.e.iii.(4) ► Evaluation of Inspection Data

Describe your evaluation of the tracking data and data summaries and provide information on the evaluation results (e.g., data trends, typical BMP performance issues, comparisons to previous years, etc.).

Description: With the exception of one site, construction sites in general provided adequate BMPs and were in compliance with permit requirements, even during the first monthly inspection, which is an improvement over previous years. A number of the downtown projects were nearing completion and no longer had active dirt movement, so the focus was turned more to good housekeeping. Where there were issues, they were generally related to maintenance of BMPs to ensure they were performing their intended function, and not related to actual illicit discharges.

C.6.e.iii.(4) ► Evaluation of Inspection Program Effectiveness

Describe what appear to be your program's strengths and weaknesses, and identify needed improvements, including education and outreach.

Description:

The inspectors did a good job of keeping on top of construction site controls throughout the month so that sites remained in compliance and did not require as many follow-up inspections. The program could improve in identifying specific solutions for projects struggling to come into compliance through additional education and outreach.

Refer to the C.6 Construction Site Control section of the SMCWPPP's FY 2018/19 Annual Report for a description of activities at the Program or regional level.

C.6.f.iii ► Staff Training Summary

| Training Name | Training Dates | Topics Covered | No. of Inspectors in Attendance |
|-----------------------------------|----------------|---|---------------------------------|
| SMCWPPP C.6 Construction Workshop | 3/11/2019 | C.6 compliance, monthly inspections, containing a classroom and field session | 5 |

Section 7 – Provision C.7. Public Information and Outreach

C.7.b.i.1 ► Outreach Campaign

Summarize outreach campaign. Include details such as messages, creative developed, and outreach media used. The detailed outreach campaign report may be included as an attachment. If outreach campaign is being done by participation in a countywide or regional program, refer to the separate countywide or regional Annual Report.

Summary:

See Section 7 and Section 9 of the SMCWPPP FY 2018/19 Annual Report for a description of outreach campaign activities conducted at the countywide level.

C.7.c. Stormwater Pollution Prevention Education

No Change

C.7.d ► Public Outreach and Citizen Involvement Events

Describe general approach to event selection. Provide a list of outreach materials and giveaways distributed.

Use the following table for reporting and evaluating public outreach events

See Section 7 of the SMCWPPP FY 2018/19 Annual Report for a description of public outreach and citizen involvement events activities conducted at the countywide level.

| Event Details | Description (messages, audience) | Evaluation of Effectiveness |
|--|--|--|
| Provide event name, date, and location. Indicate if event is local, countywide or regional. Indicate if event is public outreach or citizen involvement. | Identify type of event (e.g., school fair, creek clean-up, storm drain stenciling, farmers market etc.), type of audience (school children, gardeners, homeowners etc.) and outreach messages (e.g., Enviroscene presentation, pesticides, stormwater awareness) | Provide general staff feedback on the event (e.g., success at reaching a broad spectrum of the community, well attended, good opportunity to talk to gardeners etc.). Provide other details such as: <ul style="list-style-type: none"> • Success at reaching a broad spectrum of the community • Number of participants compared to previous years. • Post-event effectiveness assessment/evaluation results • Quantity/volume of materials cleaned up, and comparisons to previous efforts |

C.7.e. ► Watershed Stewardship Collaborative Efforts

Summarize watershed stewardship collaborative efforts and/or refer to a regional report that provides details. Describe the level of effort and support given (e.g., funding only, active participation etc.). State efforts undertaken and the results of these efforts. If this activity is done regionally refer to a regional report.

Evaluate effectiveness by describing the following:

- Efforts undertaken
- Major accomplishments

Summary:

See Section 7 of the SMCWPPP FY 2018/19 Annual Report for a description of watershed stewardship collaborative efforts conducted at the countywide level.

C.7.f. ► School-Age Children Outreach

Summarize school-age children outreach programs implemented. A detailed report may be included as an attachment. Use the following table for reporting school-age children outreach efforts.
See Section 7 of the SMCWPPP FY 2018/19 Annual Report for a description of school-age children outreach efforts conducted at the countywide level.

| Program Details | Focus & Short Description | Number of Students /Teachers reached | Evaluation of Effectiveness |
|---|---|--|--|
| Provide the following information: Name Grade or level (elementary/ middle/ high) | Brief description, messages, methods of outreach used | Provide number or participants | Provide agency staff feedback. Report any other evaluation methods used (quiz, teacher feedback etc.). Attach evaluation summary if applicable. |
| Annual Redwood City Water Conservation Poster Contest Grades: K-5 | Program provides a fun, artistic outlet for students to demonstrate their learnings and understanding about water conservation. Prior to creating a poster, teachers are asked to order water conservation curriculum and materials for each student to help educate them about the importance of conserving our drinking water. To promote participation, the program offers gift certificates to the classroom, school, teacher, and students at certain milestones or for submission winners. Submission winners are also presented an award by the Mayor at a City Council meeting. | 1745 Students received contest materials or submitted posters. 45 classrooms visited with a total 1325 students. | 12 entries are selected to be used in a Water Conservation Calendar. In total, we distributed 2800 calendars, helping to promote water conservation. |
| Indoor Water Wise Kit | The Water Wise kits enable the students to perform a water audit in their homes and to install water-saving devices on select fixtures (e.g., showerheads and aerators). As part of this Program, RAP provides a water and energy conservation curriculum that can be easily implemented by teachers, easily understood | 481 students, non-inclusive of the family members they engage at home. | Promotion of Sponsor Programs Resource Action Programs included inserts supplied by BAWSCA in each Water Wise Kit. These inserts offered information to the customers describing opportunities about other resource and water efficiency programs that BAWSCA offers in conjunction |

| | | | |
|--|--|---------------------------------------|--|
| | and taken back into the home by the students, and includes methods to quantify the water and energy savings as a result of taking the actions described in the curriculum. | An average of 5 people per household. | with the City of Redwood City. The materials were used to publicize and boost enrollment in additional water efficiency programs. These promotions included: <ul style="list-style-type: none"> • Lawn Be Gone! Program • Rain Barrel Rebate Program |
| "The H2O Show" by Earthcapades environmental vaudeville Grades: K-8 | Elementary-aged students and their teachers learn about the water cycle, where our water comes from, and how we can take care of and conserve it. | Audience count 3,290 | Questionnaire completed by instructors showed that 98.4% rate the educational value, and would like to see the program continued in the future. |

Section 9 – Provision C.9 Pesticides Toxicity Controls

| C.9.a. ► Implement IPM Policy or Ordinance | | | | | | | |
|---|---------------------|----------|----------|-------------------------------------|----------|--------------------------|----|
| Is your municipality implementing its IPM Policy/Ordinance and Standard Operating Procedures? | | | | <input checked="" type="checkbox"/> | Yes | <input type="checkbox"/> | No |
| If no, explain: | | | | | | | |
| Report implementation of IPM BMPs by showing trends in quantities and types of pesticides used, and suggest reasons for increases in use of pesticides that threaten water quality, specifically organophosphates, pyrethroids, carbamates fipronil, indoxacarb, diuron, and diamides. A separate report can be attached as evidence of your implementation. | | | | | | | |
| Trends in Quantities and Types of Pesticide Active Ingredients Used ¹ | | | | | | | |
| Pesticide Category and Specific Pesticide Active Ingredient Used | Amount ² | | | | | | |
| | FY 15-16 | FY 16-17 | FY 17-18 | FY 18-19 | FY 19-20 | FY 20-21 | |
| Organophosphates | None | None | None | None | | | |
| Active Ingredient Chlorpyrifos | | | | | | | |
| Active Ingredient Diazinon | | | | | | | |
| Active Ingredient Malathion | | | | | | | |
| Pyrethroids (see footnote #2 for list of active ingredients) | None | None | None | None | | | |
| Active Ingredient Type X | | | | | | | |
| Active Ingredient Type Y | | | | | | | |
| Carbamates | None | None | None | None | | | |
| Active Ingredient Carbaryl | | | | | | | |
| Active Ingredient Aldicarb | | | | | | | |
| Fipronil | None | None | None | None | | | |

¹Includes all municipal structural and landscape pesticide usage by employees and contractors.

²Weight or volume of the active ingredient, using same units for the product each year. Please specify units used. The active ingredients in any pesticide are listed on the label. The list of active ingredients that need to be reported in the pyrethroids class includes: metofluthrin, bifenthrin, cyfluthrin, beta-cyfluthrin, cypermethrin, deltamethrin, esfenvalerate, lambdacyhalothrin, and permethrin.

| Pesticide Category and Specific Pesticide Active Ingredient Used | Amount | | | | | |
|--|------------------------------------|----------|----------|----------|----------|----------|
| | FY 15-16 | FY 16-17 | FY 17-18 | FY 18-19 | FY 19-20 | FY 20-21 |
| Indoxacarb | Reporting not required in FY 15-16 | None | None | None | | |
| Diuron | Reporting not required in FY 15-16 | None | None | None | | |
| Diamides | Reporting not required in FY 15-16 | None | None | None | | |
| Active Ingredient Chlorantraniliprole | | | | | | |
| Active Ingredient Cyantraniliprole | | | | | | |
| Reasons for increases in use of pesticides that threaten water quality: N/A | | | | | | |
| IPM Tactics and Strategies Used: Removal of plants that require frequent pesticide applications, Replacing invasive plants with natives, Increased the use of native plants in landscaped areas, Preventive actions such as sealing holes and gaps in structures, improving sanitation, Use of baits and traps instead of broadcast pesticides, Mulching of weed-prone areas to reduce the use of herbicides, Mechanical methods for weed removal, and Switch to bio pesticides and organic herbicides for weed and insect control. | | | | | | |

| C.9.b ▶ Train Municipal Employees | |
|--|------|
| Enter the number of employees that applied or used pesticides (including herbicides) within the scope of their duties this reporting year. | 19 |
| Enter the number of these employees who received training on your IPM policy and IPM standard operating procedures within this reporting year. | 19 |
| Enter the percentage of municipal employees who apply pesticides who have received training in the IPM policy and IPM standard operating procedures within this reporting year. | 100% |
| Type of Training: All Redwood City Parks staff who handle pesticides receive annual IPM training during the annual pesticide safety training (March 28 & 29, 2019 - 4 hour training). Five (5) Redwood City Parks Department staff members hold CA DPR QAC certs. | |

| C.9.c ▶ Require Contractors to Implement IPM | | | |
|---|-------------------------------------|-----|-----|
| Did your municipality contract with any pesticide service provider in the reporting year, for either landscaping or structural pest control? | <input checked="" type="checkbox"/> | Yes | No |
| If yes, did your municipality evaluate the contractor's list of pesticides and amounts of active ingredients used? | <input checked="" type="checkbox"/> | Yes | No, |
| If your municipality contracted with any pesticide service provider, briefly describe how contractor compliance with IPM Policy/Ordinance and SOPs was monitored The City of Redwood City's IPM Policy and contract specifications require that contractors follow IPM techniques, and use pesticides only as a last resort. This is routinely conveyed to the contractor via meetings, phone calls, and/or emails. Additionally, contractors are not allowed to use pesticides of concern. Contractors are required to obtain City of Redwood City staff's approval before applying pesticides, and submit documentation describing the IPM techniques that were implemented. If needed, City of Redwood City staff conducts field visits to confirm the use of IPM methods, such as monitoring for pests and using non-chemical methods. | | | |
| If your agency did not evaluate the contractor's list of pesticides and amounts of active ingredients used, provide an explanation. | | | |

| C.9.d ▶ Interface with County Agricultural Commissioners | | | |
|---|-------------------------------------|-----|----|
| Did your municipality communicate with the County Agricultural Commissioner to: (a) get input and assistance on urban pest management practices and use of pesticides or (b) inform them of water quality issues related to pesticides, | <input checked="" type="checkbox"/> | Yes | No |

If yes, summarize the communication. If no, explain.

Redwood City Parks Department regularly interacts with biologists from the San Mateo Co. Ag Department: Operators I.D and permits are obtained from County Ag and the biologist does an annual inspection of Redwood City Parks headquarters, including inspection of storage facilities, all records for pesticide applications and all staff pesticide safety training records. Recent discussions related to herbicide use in other agencies throughout the County.

The Parks staff members also attend CA DPR approved continuing education seminars where County Ag biologists usually present a segment on Laws and Regulations.

See Section 9 of the SMCWPPP FY 2018/19 Annual Report for a summary of the Countywide Program's coordination with the San Mateo County Agricultural Commissioner.

Did your municipality report any observed or citizen-reported violations of pesticide regulations (e.g., illegal handling and applications of pesticides) associated with stormwater management, particularly the California Department of Pesticide Regulation (DPR) surface water protection regulations for outdoor, nonagricultural use of pyrethroid pesticides by any person performing pest control for hire.

| | | | |
|--|------------|---|-----------|
| | Yes | X | No |
|--|------------|---|-----------|

If yes, provide a summary of improper pesticide usage reported to the County Agricultural Commissioner and follow-up actions taken to correct any violations. A separate report can be attached as your summary.

C.9.e.ii (1) ► Public Outreach: Point of Purchase

Provide a summary of public outreach at point of purchase, and any measurable awareness and behavior changes resulting from outreach (here or in a separate report); **OR** reference a report of a regional effort for public outreach in which your agency participates.

Summary:

See Section 9 of the SMCWPPP FY 2018/19 Annual Report for a description of point of purchase public outreach efforts conducted at the countywide level and regionally.

C.9.e.ii (2) ► Public Outreach: Pest Control Contracting Outreach

Provide a summary of outreach to residents who use or contract for structural pest control and landscape professionals); **AND/OR** reference a report of a regional effort for outreach to residents who hire pest control and landscape professionals in which your agency participates.

Summary:

See Section 9 of the SMCWPPP FY 2018/19 Annual Report for a summary of outreach to residents who hire pest control and landscape professionals.

C.9.e.ii.(3) ► Public Outreach: Pest Control Operators

Provide a summary of public outreach to pest control operators and landscapers and reduced pesticide use (here or in a separate report); **AND/OR** reference a report of a regional effort for outreach to pest control operators and landscapers in which your agency participates.

Summary:

See Section 9 of the SMCWPPP FY 2018/19 Annual Report for a summary of the Countywide Program's outreach to pest control operators and landscapers to reduce pesticide use.

C.9.f ► Track and Participate in Relevant Regulatory Processes

Summarize participation efforts, information submitted, and how regulatory actions were affected; **AND/OR** reference a regional report that summarizes regional participation efforts, information submitted, and how regulatory actions were affected.

Summary:

During FY 2018/19, we participated in regulatory processes related to pesticides through contributions to the Countywide Program, BASMAA and CASQA. For additional information, see the regional report submitted by BASMAA on behalf of all MRP Permittees.

C.9.g. ► Evaluate Implementation of Pesticide Source Control Actions

(For FY 18-19 Annual Report only) Submit an evaluation that assesses; 1) the effectiveness of IPM efforts required in Provisions C.9.a-e and g, 2) a discussion of any improvements made in the past five years; 3) any changes in water quality regarding pesticide toxicity in urban creeks; and 4) a brief description of one or more pesticide-related area(s) the Permittee will focus on enhancing during the subsequent permit term.

Summary:

See the appendices to SMCWPPP's FY 2018/19 Annual Report for a report that includes the following:

- **An evaluation of the effectiveness of source control measures for pesticides and toxicity that have been implemented;**
- **An evaluation of water quality in relation to pesticides and toxicity in urban creeks;**
- **Improvements made to the City of Redwood City's IPM Program during this permit term; and**
- **Pesticide-related area(s) that City of Redwood City will focus on enhancing during the next permit term.**

Section 10 - Provision C.10 Trash Load Reduction

| C.10.a.i ► Trash Load Reduction Summary | |
|---|--------------|
| For population-based Permittees, provide the overall trash reduction percentage achieved to-date within the jurisdictional area of your municipality that generates problematic trash levels (i.e., Very High, High or Moderate trash generation). Base the reduction percentage on the information presented in C.10.b i-iv and C.10.e.i-ii. Provide a discussion of the calculation used to produce the reduction percentage | |
| Trash Load Reductions | |
| Percent Trash Reduction in All Trash Management Areas (TMAs) due to Trash Full Capture Systems (as reported C.10.b.i) | 52.7% |
| Percent Trash Reduction in all TMAs due to Control Measures Other than Trash Full Capture Systems (as reported in C.10.b.ii) ¹ | 22.4% |
| Percent Trash Reduction due to Jurisdictional-wide Source Control Actions (as reported in C.10.b.iv) | 10.0% |
| SubTotal for Above Actions | 85.1% |
| Trash Offsets (Optional) | |
| Offset Associated with Additional Creek and Shoreline Cleanups (as reported in C.10.e.i) | 3.4% |
| Offset Associated with Direct Trash Discharges (as reported in C.10.e.ii) | 0.0% |
| Total (Jurisdictional-wide) % Trash Load Reduction through FY 2018-19 | 88.5% |
| <p>Discussion of Trash Load Reduction Calculation and Attainment of the 80% Mandatory Deadline: The City attained and reported 83.6% trash load reduction (including trash offsets) in its FY 17-18 Annual Report. During FY 18-19, the City continued to implement a robust trash control measure program, which helped the City maintain and increase its trash load reduction above the mandatory 80% trash load reduction requirement included in the MRP. The total (jurisdiction-wide) percent trash load reduction in FY 18-19 is 88.5% (including trash offsets). The most recent version of the City's Baseline Trash Generation Map can be downloaded at http://www.flowstobay.org/content/municipal-trash-generation-maps.</p> | |

¹ See Appendix 10-1 for changes between 2009 and FY 18-19 in trash generation by TMA as a result of Full Capture Systems and Other Measures.

C.10.a.iii ► Mandatory Trash Full Capture Systems

Provide the following:

- 1) Total number and types of full capture systems (publicly and privately-owned) installed prior to FY 18-19, during FY 18-19, and to-date, including inlet-based and large flow-through or end-of-pipe systems, and qualifying low impact development (LID) required by permit provision C.3.
- 2) Total land area (acres) treated by full capture systems for population-based Permittees and total number of systems for non-population based Permittees compared to the total required by the permit.

| Type of System | # of Systems | Areas Treated (Acres) |
|--|--------------|-----------------------|
| Installed in FY 18-19 | | |
| None | - | - |
| Installed Prior to FY 18-19 | | |
| Connector Pipe Screens (Public) | 470 | 778.0 |
| Total for all Systems Installed To-date | 470 | 778.0 |
| Treatment Acreage Required by Permit (Population-based Permittees) | | 93 |
| Total # of Systems Required by Permit (Non-population-based Permittees) | | NA |

C.10.b.i ► Trash Reduction - Full Capture Systems

Provide the following:

- 1) Jurisdiction-wide trash reduction in FY 18-19 attributable to trash full capture systems implemented in each TMA;
- 2) The total number of full capture systems installed to-date in your jurisdiction;
- 3) The percentage of systems in FY 18-19 that exhibited significant plugged/blinded screens or were >50% full when inspected or maintained;
- 4) A narrative summary of any maintenance issues and the corrective actions taken to avoid future full capture system performance issues; and
- 5) A certification that each full capture system is operated and maintained to meet the full capture system requirements in the permit.

| TMA | Jurisdiction-wide Reduction (%) | Total # of Full Capture Systems | % of Systems Exhibiting Plugged/Blinded Screens or >50% full in FY 18-19 | Summary of Maintenance Issues and Corrective Actions |
|--------------|---------------------------------|---------------------------------|---|--|
| 1 | 33.7% | 470 | Citywide, approximately 55% of systems installed before FY 16-17 exhibited Plugged/Blinded Screens or >50% full at the time of maintenance. | Maintenance of full-trash capture devices, including cleaning and inspection, occurs at least once prior to the wet season, after each major storm event, and as necessary. City staff performs cleanings with a Vactor truck, and a daily report is completed summarizing cleaning activities on the Public Works electronic work order management system. For FY 18-19, the City did not have any performance issues or failures associated with any of the devices installed. |
| 2 | 3.0% | | | |
| 3 | 12.8% | | | |
| 4 | 1.2% | | | |
| 5 | 0.5% | | | |
| 6 | 0.6% | | | |
| Total | 52.7%* | | | |

Certification Statement: The City of Redwood City certifies that a full capture system maintenance and operation program is currently being implemented to maintain all applicable systems in manner that meets the full capture system requirements included in the Permit.

*The Total jurisdiction-wide reduction reported for full capture systems includes 0.9% reduction for treatment of 22.6 acres of non-jurisdictional public K-12, college and university school land areas.

| C.10.b.ii ► Trash Reduction – Other Trash Management Actions (PART A) | |
|--|--|
| Provide a summary of trash control actions other than full capture systems or jurisdictional source controls that were implemented within each TMA, including the types of actions, levels and areal extent of implementation, and whether actions are new, including initiation date. | |
| TMA | Summary of Trash Control Actions Other than Full Capture Systems |
| 1 | <p>The City contracts with RCIA for on-land cleanups within the downtown area. Its staff is tasked with removing litter for several per day, 5 days per week. To combat cigarette butts, the City has installed approximately 20 specialty cigarette butt bins within the downtown area and some City-owned facilities. RCIA is responsible for the maintenance and cleaning of said bins.</p> <p>The City sweeps the downtown area four times per week, between the hours of 4:00am to 6:00am. All other areas, including residential, have been swept once per month prior to and continuing after the MRP effective date. In early 2016, the City moved to twice per month street sweeping schedules.</p> <p>The City entered into a maintenance agreement with CalTrans to sweep the following:</p> <ul style="list-style-type: none"> o 2.4 mile stretch of El Camino Real (CA Highway 82) from Berkshire Avenue to the northwest City limits at Cordilleras Creek, once per week. o 2.9 mil stretch of Woodside Road (CA Highway 84) between Broadway and Alameda de las Pulgas, once per month <p>In 2008, the City implemented a pilot parking enforcement for street sweeping on Douglas Ave (between Spring St. and Middlefield Road) and Marshall Street (between Chestnut St. and Maple St.). Signs state that there is no parking on the last Thursday or last Friday of each month between 7:00am and 9:00am. Consequently, the sweeper is able to reach the curb and the City intends to continue with the program due to the success in reducing trash loads in this area.</p> <p>The City's Parks and Recreation Department perform on-land cleanups and trash container management seven days per week for Hoover Park, Jardin de Ninos and Mezes Park. A total of 19 full-time staff and 5 seasonal staff are tasked with maintaining the parks within the City. In addition, Parks and Recreation also perform on-land cleanups of the 2.4 mile stretch of El Camino Real's median. The City also hosts two annual on-land cleanups (spring and fall), with several hundred volunteers participating to remove litter and illegally dumped trash from schools, the waterfront, parks and streets. The City-supported Pride and Beautification Committee sponsors the events and Recology provides support through services, staff, and funding.</p> <p>The City increased homeless encampment cleanups in FY 17-18, conducting 5 cleanups in TMA 1 at on Beech at Marshall Street on 3/22/18, on Shasta at Woodside Road on 4/16/18, at the rear of 1025 Stambaugh on 4/30/18, on the 200 block of Cedar</p> |

| | |
|-----------------|---|
| | <p>on 5/23/18, and on the 600 block of Shasta on 5/23/18. These cleanups removed 150 cubic feet, 2,090 cubic feet, 500 cubic feet, 750 cubic feet, and 500 cubic feet of unbagged trash, respectively, as well as 25 bags of trash at the Shasta at Woodside clean up on 4/16/18. In FY 18-19, the City conducted seven homeless encampment cleanups in TMA 1 on 7/10/18 and 1/11/19 (200 block of Cedar – 1,000 cubic feet total), 7/20/18 (Main and Cedar – 500 cubic feet), 8/27/18 (1017 Middlefield – 250 cubic feet), 9/11/18 and 10/10/18 (Main and Veterans – 500 cubic feet total), and 11/7/18 (Lathrop/Chestnut – 250 cubic feet). These cleanups removed approximately 2,500 cubic feet of unbagged trash from the areas.</p> |
| <p>2</p> | <p>All streets within TMA #2 have been swept once per month prior to and continuing after the MRP effective date. In early 2016, the City moved to twice per month street sweeping schedules. Due to the street sweeping times in commercial and industrial areas, parked cars are not a major issue and the sweeper is able to effectively reach the curb. The presence of parked cars within the residential areas is highly variable due to the time window.</p> <p>The Parks and Recreation Department perform on-land cleanups and trash container management daily (7 days per week) as part of their maintenance and landscaping activities at Andrew Spinas Park.</p> |
| <p>3</p> | <p>Street sweeping occurs once per week on El Camino Real and Woodside Road. All other streets within TMA #3 have been swept once per month prior to and continuing after the MRP effective date. In early 2016, the City moved to twice per month street sweeping schedules. Due to the street sweeping times in commercial and industrial areas, parked cars are not a major issue and the sweeper is able to effectively reach the curb. The presence of parked cars within the residential areas is highly variable due to the time window.</p> <p>The Parks and Recreation Department perform on-land cleanups and manage trash containers daily (7 days per week). The following four parks fall within TMA #3: Hawes Park, Palm Park, Fleishman Park, Linden Park. In addition, the Parks and Recreation Department conducts on-land cleanup of the El Camino Real median within TMA #3. Typical trash removed includes food and beverage ware, food packaging, and cigarette butts.</p> <p>Two annual on-land cleanups by the Pride and Beautification Committee also occur with the boundaries of TMA #3. The areas included in the cleanups are: Union Cemetery and James Ave between Elwood St. and El Camino Real.</p> <p>The City conducted 3 homeless encampment cleanups in TMA 3 in FY 17-18 at the Hazel Street on-ramp at Woodside Road on 9/18/18, 2/1/18, and on 3/9/18. These cleanups removed 300 cubic feet, 600 cubic feet, and 375 cubic feet, respectively, of unbagged trash from the area. The City conducted 2 homeless encampment cleanups in TMA 3 in FY 18-19 at the Hazel Street on-ramp at Woodside Road on 10/16/18 and at Hopkins/El Camino Real on 12/11/2018. These cleanups removed 500 cubic feet of unbagged trash from the areas.</p> |
| <p>4</p> | <p>El Camino Real is swept once per week, and all other streets within TMA #4 have been swept once per month prior to and continuing after the MRP effective date. In early 2016, the City moved to twice per month street sweeping schedules. Due to the street sweeping times in commercial and industrial areas, parked cars are not a major issue and the sweeper is able to effectively reach the curb. The presence of parked cars within the residential areas is highly variable due to the time window.</p> |

| | |
|-----------------|--|
| | <p>In addition, the Parks and Recreation Department conducts on-land cleanup of the El Camino Real median within TMA #4 weekly or twice per week, depending on season. Typical trash removed includes food and beverage ware, food packaging, and cigarette butts.</p> <p>With the increased homeless encampment cleanups in FY 16-17, the City conducted an additional cleanup in TMA 4 at the Cordilleras Creek Bridge. This cleanup removed 90 cubic feet of unbagged trash from the area, as well as several 32-gallon bags of trash</p> |
| <p>5</p> | <p>All streets within TMA #5 have been swept once per month prior to and continuing after the MRP effective date. In early 2016, the City moved to twice per month street sweeping schedules. Due to the street sweeping times in commercial and industrial areas, parked cars are not a major issue and the sweeper is able to effectively reach the curb. The presence of parked cars within the residential areas is highly variable due to the time window.</p> <p>Two annual on-land cleanups by the Pride and Beautification Committee also occur with the boundaries of TMA #5. The area included in the cleanup is Bayfront Canal, between Douglas Court and the City limits.</p> <p>In FY 17-18, the City conducted 2 homeless encampment cleanups in TMA 5 at the 1300 block of Maple on 9/19/17 and on Stein Am Rhein on 4/26/18. These cleanups removed 3,660 cubic feet and 750 cubic feet of unbagged trash from the respective areas, as well as thirty 32-gallon bags of trash from the cleanup at the 1300 block of Maple. In FY 18-19, the City conducted one homeless encampment cleanup in TMA 5 at Bair Island on 12/10/2018. This cleanup removed 250 cubic feet of unbagged trash.</p> |
| <p>6</p> | <p>All streets within TMA #6 have been swept once per month prior to and continuing after the MRP effective date. In early 2016, the City moved to twice per month street sweeping schedules. Due to the street sweeping times in commercial and industrial areas, parked cars are not a major issue and the sweeper is able to effectively reach the curb. The presence of parked cars within the residential areas is highly variable due to the time window.</p> <p>The Parks and Recreation Department perform on-land cleanups and manage trash containers daily (7 days per week). The following sixteen parks fall within TMA #6: Dolphin Park, Dove Beeger Park, Garrett Park, Maddux Park, Marlin Park, Mariner Park, Red Morton Community Park, Sandpiper Park, Shannon Park, Shorebird Park, Shore Dogs Park, Stafford Park, Stulsaft Park, Wellesley Crescent Park, Westwood Park, 3.5 acre park on Shearwater Parkway. In addition, the Parks and Recreation Department perform on-land cleanups of the following thorough fares weekly: Redwood Shores Parkway, Radio Road, Marine Parkway median, Shearwater Parkway median, Shell Parkway median, Bridge Parkway (which includes Redwood Shores library grounds).</p> <p>In collaboration with the Redwood Shores Community Association, the City also supports the annual Redwood Shores Levee Cleanup event where volunteers remove litter illegally dumped from the waterfront and levee. Volunteers removed 48 cubic feet of unbagged trash from the levee on 8/26/17, as well as ten 42-gallon bags of trash. In FY 18-19, City staff and volunteers removed approximately 162 cubic feet of bagged trash during the annual Redwood Shores Levee Cleanup.</p> |

C.10.b.ii ► Trash Reduction – Other Trash Management Actions (PART B)

Provide the following:

- 1) A summary of the on-land visual assessments in each TMA (or control measure area), including the street miles or acres available for assessment (i.e., those associated with VH, H, or M trash generation areas not treated by full capture systems), the street miles or acres assessed, the % of available street miles or acres assessed, and the average number of assessments conducted per site within the TMA; and
- 2) Percent jurisdictional-wide trash reduction in FY 18-19 attributable to trash management actions other than full capture systems implemented in each TMA; OR
- 3) Indicate that no on-land visual assessments were performed.

If no on-land visual assessments were performed, check here and state why:

Explanation:

| TMA ID <i>or (as applicable) Control Measure Area</i> | Total Street Miles ² Available for Assessment | Summary of On-land Visual Assessments ³ | | | Jurisdictional-wide Reduction (%) |
|--|--|--|---|---|--------------------------------------|
| | | Street Miles Assessed | % of Available Street Miles Assessed | Avg. # of Assessments Conducted at Each Site ^{4,5} | |
| 1 | 7.57 | 1.71 | 22.6% | 5.8 | 6.9% |
| 2 | 1.17 | 0.80 | 68.6% | 5.3 | 0.3% |
| 3 | 6.27 | 1.14 | 18.2% | 6.0 | 10.2% |
| 4 | 1.28 | 0.64 | 49.9% | 6.0 | 1.3% |
| 5 | 3.34 | 0.49 | 14.8% | 6.0 | 2.6% |
| 6 | 2.90 | 0.90 | 31.0% | 6.8 | 1.1% |
| Total | | 5.68 | - | - | 22.4% |

² Street miles are defined as the street lengths and do not include curbs associated with medians.

³ Assessments conducted between July 2017 and July 2019 are assumed to be representative of trash levels in FY 18-19 and were therefore used to calculate the jurisdictional-wide reductions reported in this section.

⁴ Each assessment site is roughly 1,000 feet in length.

⁵ Based on analyses conducted as part of the BASMAA Tracking California's Trash project (BASMAA 2017) funded by the State Water Resources Control Board, the optimal number of assessment events to detect an improvement from baseline trash levels at a site is between 4 and 6 per site.

C.10.b.iv ► Trash Reduction – Source Controls

Provide a description of each jurisdictional-wide trash source control action implemented to-date. For each control action, identify the trash reduction evaluation method(s) used to demonstrate on-going reductions, summarize the results of the evaluation(s), and estimate the associated reduction of trash within your jurisdictional area. Note: There is a maximum of 10% total credit for source controls.

| Source Control Action | Summary Description & Dominant Trash Sources and Types Targeted | Evaluation/Enforcement Method(s) | Summary of Evaluation/Enforcement Results To-date | % Reduction |
|--------------------------|--|--|---|-------------|
| Single-Use Bag Ordinance | <p>Redwood City's City Council adopted a reusable bag ordinance on March 25, 2013, which prohibits single-use plastic bags from being distributed. The ordinance can be found here: http://documents.redwoodcity.org/publicweblink/0/doc/91264/Page1.aspx, and the resolution can be found here: http://documents.redwoodcity.org/publicweblink/0/doc/90806/Page1.aspx.</p> <p>Although enforcement and implementation of the ordinance went into effect on October 1, 2013, affected businesses were allowed to implement the plastic bag ban and begin charging for paper bags prior to the October 1 start-date. Enforcement of the bag ordinance is being conducted by San Mateo County and will be complaint-based. Prior to adoption of the ordinance, two public informational meetings were held to help residents and businesses understand the scope and impact. The two meetings were held at the City downtown library and were held on: Wednesday, February 13, 2013, 2pm Tuesday, February 19, 2013, 7pm</p> | <p>On behalf of all SMCWPPP Permittees, the County of San Mateo conducted assessments evaluating the effectiveness of the single use plastic bag ban in municipalities within San Mateo County. Assessments conducted by the County included audits of businesses and surveys of customer bag usage at many businesses in San Mateo County. Additionally, the number of complaints by customers was also tracked by the County. The results of assessments conducted by these cities are assumed to be representative of all SMCWPPP Permittees, given the consistency between the scope, implementation, and enforcement of the ordinances among the municipalities. The City developed its % trash reduced estimate using the following assumptions: 1) Single use plastic bags comprise 8% of the trash discharged from stormwater conveyances, based on the Regional Trash Generation</p> | <p>Results of assessments conducted by the County of San Mateo on behalf of all municipalities in San Mateo County indicate that the City's ordinance is effective in reducing the number of single use plastic bags in stormwater discharges. This preliminary conclusion is based on the very small number of complaints received from customers about businesses in San Mateo County that are continuing to use single use plastic bags after ordinances were adopted. Assuming single use bags are 8% of the trash observed in stormwater discharges, the City concludes that there has been a 7% (i.e., 8% x 86% effectiveness in reducing bags) reduction in trash in stormwater discharges</p> | 7% |

C.10.b.iv ► Trash Reduction – Source Controls

Provide a description of each jurisdictional-wide trash source control action implemented to-date. For each control action, identify the trash reduction evaluation method(s) used to demonstrate on-going reductions, summarize the results of the evaluation(s), and estimate the associated reduction of trash within your jurisdictional area. Note: There is a maximum of 10% total credit for source controls.

| | | | | |
|---|---|--|--|-----------|
| | | <p>Study conducted by BASMAA;</p> <p>2) 95% of single use plastic bags distributed in the City are affected by the implementation of the ordinance, based on the County of San Mateo's Environmental Impact Report; and</p> <p>3) Of the bags affected by the ordinance, there are now 90% less bags being distributed, based on customer complaints received by the County Department of Environmental Health Services. This is conservative estimate given that in FY 13-14 Environmental Services only received complaints about 4, of the over 1900 businesses in San Mateo County affected by the single-use plastic bag ordinance.</p> | <p>as a result of the City's ordinance.</p> | |
| <p>Expanded Polystyrene Food Service Ware Ordinance</p> | <p>On May 7, 2012, Redwood City adopted an ordinance which prohibits Styrofoam. The ban went into effect on January 1, 2013. In conjunction with the City, San Mateo County reached out to businesses affected prior to January 1, 2013 to inform them of the ban. The County's Environmental Health Division administers and enforces the ordinance and can issue fines against offenders.</p> | <p>Although the City has adopted and implemented an ordinance prohibiting the distribution of EPS food ware by food vendors, evaluations of the effectiveness of the ordinance have not yet been conducted. For the purpose of estimating trash reductions in stormwater discharges associated with</p> | <p>Results of assessments that are representative of the City, but were conducted by the cities of Los Altos and Palo Alto, indicate that City's ordinance is effective in reducing EPS food ware in stormwater discharges. This conclusion is based</p> | <p>5%</p> |

C.10.b.iv ► Trash Reduction – Source Controls

Provide a description of each jurisdictional-wide trash source control action implemented to-date. For each control action, identify the trash reduction evaluation method(s) used to demonstrate on-going reductions, summarize the results of the evaluation(s), and estimate the associated reduction of trash within your jurisdictional area. Note: There is a maximum of 10% total credit for source controls.

| | | | | |
|--|--|---|---|--|
| | | <p>the ordinance, the results of assessments conducted by the cities of Los Altos and Palo Alto were used to represent the reduction of trash associated with the City's ordinance. Assessments conducted by these cities were conducted prior to and following the effective date of their ordinances, and include audits of businesses and/or assessments of EPS food ware observed on streets, storm drains and local creeks. The results of assessments conducted by these cities are assumed to be representative of the effectiveness of the City's ordinance because the implementation (including enforcement) of the City's ordinance is similar to the City of Los Altos' and Palo Alto's.</p> <p>The City developed its % trash reduced estimate using the following assumptions: 1.) EPS food ware comprises 6% of the trash discharged from stormwater conveyances, based on the Regional Trash Generation Study conducted by BASMAA;</p> | <p>on the following assessment result –an average of 95% of businesses affected by the ordinance are no longer distributing EPS food ware post-ordinance. Based on these results, the estimated average reduction of EPS food ware in stormwater discharges is 90%. Assuming EPS food ware is 6% of the trash observed in stormwater discharges, the City concludes that there has been a 5% (i.e., 6% x 90%) reduction in trash in stormwater discharges as a result of the ordinance.</p> | |
|--|--|---|---|--|

C.10.b.iv ▶ Trash Reduction – Source Controls

Provide a description of each jurisdictional-wide trash source control action implemented to-date. For each control action, identify the trash reduction evaluation method(s) used to demonstrate on-going reductions, summarize the results of the evaluation(s), and estimate the associated reduction of trash within your jurisdictional area. Note: There is a maximum of 10% total credit for source controls.

| | | | | |
|--|--|--|--|--|
| | | <p>2) 80% of EPS food ware distributed by food vendors or sold via stores in the City is affected by the implementation of the ordinance; and</p> <p>3) There is now 95% less EPS food ware being distributed, sold and/or observed in the environment, based on assessments conducted by the City of Palo Alto and City of Los Altos.</p> | | |
|--|--|--|--|--|

C.10.b.v ▶ Trash Reduction – Receiving Water Monitoring

Report on the progress of developing and testing your agency's trash receiving water monitoring program.

In FY 18-19, the City continued implementing the BASMAA Regional Receiving Water Trash Monitoring Program Plan that was approved by the Water Board's Executive Officer. Implementation included preparing for and conducting qualitative assessments and quantitative monitoring in receiving water locations within the City of Redwood City. Implementation occurred through both the City's own efforts and participation in the San Mateo County Water Pollution Prevention Program (SMCWPPP). Consistent with MRP requirements, a preliminary report describing data results and findings to-date was submitted to the Water Board via BASMAA on July 1, 2019 on behalf of all Permittees. The final report for the development and testing of the Bay Area trash receiving water monitoring program will be submitted by BASMAA by July 1, 2020, consistent with the MRP requirements, following peer review.

In addition to implementing the BASMAA Monitoring Plan, the City coordinated (via SMCWPPP) on the Statewide Trash Monitoring Methods Project, which is funded by the California Ocean Protection Council and State Water Board and administered via the Southern California Coastal Water Research Project (SCCWRP) and San Francisco Bay Estuary Institute (SFEI).

Additional information on accomplishments in FY 18-19 can be found in the Receiving Water Trash Monitoring Program Progress Report included in the SMCWPPP FY 18-19 Annual Report.

C.10.c ► Trash Hot Spot Cleanups

Provide the FY 18-19 cleanup date and volume of trash removed during each MRP-required Trash Hot Spot cleanup during each fiscal year listed. Indicate whether the site was a new site in FY 18-19.

| Trash Hot Spot | New Site in FY 18-19 (Y/N) | FY 18-19 Cleanup Date(s) | Volume of Trash Removed (cubic yards) | | | | |
|----------------|----------------------------|--------------------------|---------------------------------------|------------|------------|------------|------------|
| | | | FY 2014-15 | FY 2015-16 | FY 2016-17 | FY 2017-18 | FY 2018-19 |
| RCY01 | N | 9/15/2018 | 2.2 | 1.0 | 14.4* | 0.27 | 1.1 |
| RCY02 | N | 9/15/2018 | 1.8 | 9.1 | 8.1 | 2.23 | 38.9** |
| RCY03 | N | 9/15/2018 | 3.9 | 2.5 | 4.4 | 1.09 | 0.8 |

* In FY 16-17, this site was impacted by homeless encampments.

** In FY 18-19, this site was impacted by homeless encampments.

| C.10.d ► Long-Term Trash Load Reduction Plan | |
|--|----------------|
| Provide descriptions of significant revisions made to your Long-term Trash Load Reduction Plan submitted to the Water Board in February 2014. Describe significant changes made to primary or secondary trash management areas (TMA), baseline trash generation maps, control measures, or time schedules identified in your plan. Indicate whether your baseline trash generation map was revised and if so what information was collected to support the revision. If your baseline trash generation map was revised, attach it to your Annual Report. | |
| Description of Significant Revision | Associated TMA |
| In FY 15-16, consistent with all MRP Permittees, all public K-12 schools, college and university parcels were made non-jurisdictional on the City's baseline trash generation maps. Under California Government Code Sections 4450 through 4461, the construction, modification, or alternation of facilities and/or structures on these parcels are under the jurisdiction of the California Division of State Architect and not the City. The public right-of-way (e.g., streets and sidewalks) surrounding these parcels remain as jurisdictional on the City's baseline trash generation maps. The City's revised baseline trash generation map was included as Appendix 10-2 of the FY 15-16 Annual Report. | All Applicable |
| In 2016, the City moved to twice a month street sweeping schedules. | All |
| In August of 2013, the City acquired a Madvac LR50 ride-on vacuum to complement existing street sweeping and further reduce trash loads within the downtown area. The City has discontinued use of the Madvac unit but increased service levels in the downtown area due to the assistance of the Redwood City Improvement District (RCIA), which began supporting additional cleaning crews from outside vendors. The City has also installed additional trash capture devices in TMA 1 in lieu of operating the Madvac. | 1 |
| The trash control implementation schedule of the Long-term Trash Load Reduction Plan indicates partial-capture treatment devices in TMA 1 and full- and partial-capture treatment devices in TMAs 3 and 4 to be installed in FY 15-16, as well as additional enhanced control measures for full-capture devices in TMA 1. Instead of partial-capture treatment devices in TMAs 1, 3, and 4 for FY 15-16, only full-capture devices were installed and the devices were installed in TMAs 1, 2, 3, 4, and 6. Installation was completed in FY 16-17. | 1, 2, 3, 4, 6 |
| The City increased homeless encampment cleanups in FY 17-18, conducting 5 cleanups in TMA 1 on Beech at Marshall Street on 3/22/18, on Shasta at Woodside on 4/16/18, at the rear of 1025 Stambaugh on 4/30/18, on the 200 block of Cedar Street on 5/23/18, and on the 600 block of Shasta also on 5/23/18; three cleanups in TMA 3 at the Hazel Street on-ramp to Woodside Road on 9/18/17, 2/1/18, and 3/9/18; and two cleanups in TMA 5 at the 1300 block of Maple and at Stein Am Rhein on 9/19/17 and 4/26/2018, respectively. The City assisted with the annual volunteer cleanup of the Redwood Shores Levee in TMA 6 on 8/26/2018 as well. | 1, 3, 5, 6 |
| The City continued increased homeless encampment cleanups in FY 18-19, conducting 10 cleanups; 7 in TMA 1 on 7/10/2018 (200 Block of Cedar), 7/20/2018 (Main and Cedar), 8/27/2018 (1017 Middlefield), 9/11 and 10/10/2018 (Redwood Creek, Main and Veterans), 11/07/2018 (Lathrop/Chestnut), and 1/11/2019 (200 block of Cedar); two cleanups in TMA 3 at the Hazel Street on-ramp to Woodside Road on 10/16/2018 and Hopkins/El Camino Real on 12/11/2018; and one cleanup in TMA 5 at Bair Island on 12/8/2018. The City assisted with the annual volunteer cleanup of the Redwood Shores Levee in TMA 6 on 8/25/2018 as well. | 1, 3, 5, 6 |

C.10.e. ► Trash Reduction Offsets (Optional)

Provide a summary description of each offset program implemented, the volume of trash removed, and the offset claimed in FY 18-19. Also, for additional creek and shoreline cleanups, describe the number and frequency of cleanups conducted, and the locations and cleanup dates. For direct discharge control programs approved by the Water Board Executive Officer, also describe the results of the assessments conducted in receiving waters to demonstrate the effectiveness of the control program. Include an Appendix that provides the calculations and data used to determine the trash reduction offset.

| Offset Program | Summary Description of Actions and Assessment Results | Volume of Trash (CY) Removed/Controlled in FY 18-19 | Offset (% Jurisdiction-wide Reduction) |
|---|---|---|--|
| Additional Creek and Shoreline Cleanups (Max 10% Offset) | <p>In addition to the MRP-required trash hot spot cleanup (for FY 18-19, the annual Coastal Cleanup on 9/15/2018), several creek and shoreline clean-ups, including "Romancing the Creek" (2/23/2019) and a citywide clean-up event on Earth Day (4/27/2019), were conducted at the Bayfront Canal, Little River/Sequoia, and Redwood Creek:</p> <ul style="list-style-type: none"> On 9/10/2018, City crews collected 500 cubic feet of unbagged trash from a homeless encampment cleanup on Redwood Creek (RCY02). On 02/23/2019, the City supported the annual "Romancing the Creek" volunteer-lead cleanup at Redwood Creek (RCY02) near Veterans and Docktown. 255 cubic feet of unbagged trash was removed by volunteers and City staff and twenty-one 55-gallon bags of trash. City work crews performed cleanups at Little River (RCY01) near James and California and Bayfront Canal (RCY03) near Douglas Court on 3/5 and 3/8/2019. These cleanups removed two 44-gallon bags of trash from each of the two hot spot areas. The City-sponsored Annual Spring Cleanup was held on 4/27/2019. Volunteers removed one 55-gallon bag from the Little River Creek area (RYC01), twenty-six 55-gallon bags from the Redwood Creek area (RCY02), and 500 cubic of unbagged trash from the Bayfront Canal area (RCY03). Additional homeless encampment cleanups at Bayfront Canal/Douglas Court (RCY03) occurred on 5/9 and 5/10/2019, where 5,414 cubic feet of unbagged trash was removed by City staff. | 40.4 | 3.4% |
| Direct Trash Discharge Controls (Max 15% Offset) | NA | NA | NA |

Appendix 10-1. Baseline trash generation and areas addressed by full capture systems and other control measures in Fiscal Year 18-19.⁶

| TMA | 2009 Baseline Trash Generation (Acres) | | | | | Trash Generation (Acres) in FY 18-19 After Accounting for Full Capture Systems | | | | | Jurisdiction-wide Reduction via Full Capture Systems (%) | Trash Generation (Acres) in FY 18-19 After Accounting for Full Capture Systems <u>and</u> Other Control Measures | | | | | Jurisdiction-wide Reduction via Other Control Measures (%) | Jurisdiction-wide Reduction via Full Capture <u>AND</u> Other Control Measures (%) |
|---------------|--|------------|------------|----------|--------------|--|------------|------------|----------|--------------|--|--|------------|-----------|----------|--------------|--|--|
| | L | M | H | VH | Total | L | M | H | VH | Total | | L | M | H | VH | Total | | |
| 1 | 44 | 264 | 378 | 1 | 687 | 422 | 121 | 143 | 1 | 687 | 33.7% | 476 | 145 | 56 | 9 | 687 | 6.9% | 40.6% |
| 2 | 54 | 54 | 22 | 0 | 130 | 97 | 29 | 4 | 0 | 130 | 3.0% | 105 | 21 | 5 | 0 | 130 | 0.3% | 3.2% |
| 3 | 38 | 231 | 173 | 0 | 442 | 242 | 96 | 104 | 0 | 442 | 12.8% | 300 | 127 | 14 | 0 | 442 | 10.2% | 23.0% |
| 4 | 63 | 42 | 16 | 0 | 121 | 80 | 32 | 9 | 0 | 121 | 1.2% | 99 | 20 | 1 | 0 | 121 | 1.3% | 2.5% |
| 5 | 288 | 105 | 13 | 0 | 406 | 304 | 89 | 13 | 0 | 406 | 0.5% | 353 | 50 | 2 | 0 | 406 | 2.6% | 3.1% |
| 6 | 7,077 | 85 | 2 | 0 | 7,164 | 7,093 | 71 | 0 | 0 | 7,164 | 0.6% | 7,140 | 20 | 4 | 0 | 7,164 | 1.1% | 1.8% |
| Totals | 7,563 | 781 | 604 | 1 | 8,950 | 8,238 | 438 | 273 | 1 | 8,950 | 52.7%* | 8,436 | 410 | 98 | 6 | 8,950 | 22.4% | 75.1% |

*The total jurisdiction-wide reduction reported for full capture systems includes 0.9% reduction for treatment of 22.6 acres of non-jurisdictional public K-12, college and university school land areas.

⁶ Due to rounding, total acres and percentages presented in this table may be slightly different than the sum of the acres/percentages in the corresponding rows/columns (e.g., differ by 1 acre or 0.1%).

Section 11 - Provision C.11 Mercury Controls

C.11.a ► Implement Control Measures to Achieve Mercury Load Reductions
C.11.b ► Assess Mercury Load Reductions from Stormwater

See the Countywide Program's FY 2018-19 Annual Report for updated information on:

- Documentation of mercury control measures implemented in our agency's jurisdictional area for which load reductions will be reported and the associated management areas;
- A description of how the BASMAA Interim Accounting Methodology¹ was used to calculate the mercury load reduced by each control measure implemented in our agency's jurisdictional area and the calculation results (i.e., the estimated mercury load reduced by each control measure);
- Supporting data and information necessary to substantiate the load reduction estimates; and
- For Executive Officer approval, any refinements, if necessary, to the measurement and estimation methodologies to assess mercury load reductions in the subsequent permit.

C.11.c ► Plan and Implement Green Infrastructure to Reduce Mercury Loads

See the Countywide Program's FY 2018/19 Annual Report for information on the quantitative relationship between green infrastructure implementation and mercury load reductions, including all data used and a full description of models and model inputs relied on to establish this relationship.

C.11.e ► Implement a Risk Reduction Program

A summary of Countywide Program and regional accomplishments for this sub-provision are included in the Countywide Program's FY 2018-19 Annual Report.

¹BASMAA 2017. Interim Accounting Methodology for TMDL Loads Reduced, Version 1.1. Prepared for BASMAA by Geosyntec Consultants and EOA, Inc., March 23, 2017.

Section 12 - Provision C.12 PCBs Controls

C.12.a ► Implement Control Measures to Achieve PCBs Load Reductions
C.12.b ► Assess PCBs Load Reductions from Stormwater

See the Countywide Program's FY 2018-19 Annual Report for:

- Documentation of PCBs control measures implemented in our agency's jurisdictional area for which load reductions will be reported and the associated management areas;
- A description of how the BASMAA Interim Accounting Methodology¹ was used to calculate the PCBs load reduced by each control measure implemented in our agency's jurisdictional area and the calculation results (i.e., the estimated PCBs load reduced by each control measure);
- Supporting data and information necessary to substantiate the load reduction estimates; and
- For Executive Officer approval, any refinements, if necessary, to the measurement and estimation methodologies to assess PCBs load reductions in the subsequent permit.

C.12.c ► Plan and Implement Green Infrastructure to Reduce PCBs Loads

See the Countywide Program's FY 2018-19 Annual Report for, as part of reporting for C.12.b.iii(2), an estimate of the amount of PCBs load reductions resulting from green infrastructure implementation during the term of the Permit, including all data used and a full description of models and model inputs relied on to generate the estimate.

¹BASMAA 2017. Interim Accounting Methodology for TMDL Loads Reduced, Version 1.1. Prepared for BASMAA by Geosyntec Consultants and EOA, Inc., September 19, 2017.

| C.12.f. ► Manage PCB-Containing Materials During Building Demolition | | | |
|---|----------|------------|-----------|
| On July 1, 2019, was your agency ready to implement a method for identifying applicable structures (buildings built or remodeled between 1950 and 1980, except that single family residential and wood-framed buildings are exempt) that apply for a demolition permit? | X | Yes | No |
| On July 1, 2019, was your agency ready to implement a method to manage PCBs during demolition of applicable structures? | X | Yes | No |
| Does your agency have a data-gathering method in place to inform reporting on the effectiveness of your agency's program to manage PCBs during demolition of applicable structures (e.g., the number of applicable structures, and the amount and concentration of PCBs in priority building materials in applicable structures)? | X | Yes | No |

| C.12.h ► Implement a Risk Reduction Program |
|--|
| A summary of Countywide Program and regional accomplishments for this sub-provision are included in the Countywide Program's FY 2018-19 Annual Report. |

Section 13 - Provision C.13 Copper Controls

C.13.a.iii.(3) ► Manage Waste Generated from Cleaning and Treating of Copper Architectural Features

Provide summaries of permitting and enforcement activities to manage waste generated from cleaning and treating of copper architectural features, including copper roofs, during construction and post-construction.

Summary:

During construction, municipal construction stormwater inspectors are responsible for identifying copper architectural features and if appropriate, BMPs are implemented. Any issues noted are documented and enforcement actions recorded in the Provision C.6 inspection records. Post-construction municipal illicit discharge inspectors are responsible for responding to, investigating and identifying illegal discharge of wash water from washing copper architectural features. Any enforcement actions or reported discharges are recorded in the Provision C.5 inspection records. The SMCWPPP "Requirements for Architectural Copper" Fact Sheet is made available to the public, construction inspectors and illicit discharge inspectors on the SMCWPPP website (www.flowstobay.org/files/newdevelopment/flyersfactsheets/ArchitecturalcopperBMPs.pdf). Inspectors are made aware of the concerns with copper architectural features at SMCWPPP Training Workshops and internal municipal trainings.

C.13.b.iii.(3) ► Manage Discharges from Pools, Spas, and Fountains that Contain Copper-Based Chemicals

Provide summaries of any enforcement activities related to copper-containing discharges from pools, spas, and fountains.

Summary:

Any necessary enforcement action is implemented through the City's enforcement response plan. Redwood City staff responds to any reported illicit discharges by first investigating the reported scene. Investigation can occur either by Public Works or Code enforcement staff. Reports of discharges can occur either through telephone or Redwood City's public engagement tool, "myRWC" by PublicStuff. myRWC is a free smartphone application (also available via web browser) whereby the public can report issues through their phone. This medium allows pictures with GPS to be attached and the submission by the resident is routed to the appropriate staff member based upon complaint or issue. Follow-up, including messages and contact information can also be input through this system. In addition, any complaints reported directly to Public Works staff are entered into the myRWC database to help track and respond to complaints.

Upon review of our Provision C.5 illicit discharge inspection data we found no enforcement activities related to copper-containing discharges from pools, spas, and fountains.

C.13.c.iii ► Industrial Sources Copper Reduction Results

Based upon inspection activities conducted under Provision C.4, highlight copper reduction results achieved among the facilities identified as potential users or sources of copper, facilities inspected, and BMPs addressed.

Summary:

No conducted inspection resulted in the use of copper reduction BMPs.

Section 15 -Provision C.15 Exempted and Conditionally Exempted Discharges

C.15.b.vi.(2) ► Irrigation Water, Landscape Irrigation, and Lawn or Garden Watering

Provide implementation summaries of the required BMPs to promote measures that minimize runoff and pollutant loading from excess irrigation. Generally the categories are:

- Promote conservation programs
- Promote outreach for less toxic pest control and landscape management
- Promote use of drought tolerant and native vegetation
- Promote outreach messages to encourage appropriate watering/irrigation practices
- Implement Illicit Discharge Enforcement Response Plan for ongoing, large volume landscape irrigation runoff.

Summary:

The City has implemented or continued several different programs to help raise awareness and encourage water conservation during this fiscal year. Redwood City partners with BAWSCA to offer the Lawn Be Gone! Program. This program incentivizes customers (through a \$1.00 per sq. ft. rebate) to replace their lawn with water-efficient landscape and convert from spray irrigation to drip irrigation. Redwood City currently has two demonstration locations (the Public Works Native Plant garden and Fire Station #12) where residents can see what a typical drought-tolerant landscape looks like. The Native Plant demonstration garden, planted as part of the Water Resources Division's water-efficient landscape classes in partnership with the Parks Department, was featured on the Native Garden Societies 2019 Garden Tour. Redwood City also hosted 5 BAWSCA landscape classes and instructional workshops in FY 18/19. The classes included the following topics: Garden Design, Drip irrigation installation and converting spray to drip, Water Efficient Plant Selection, and a Lawn Conversion – participants learned how to remove turf and then installed water efficient plants at Public Works.

The City offers free water audits, where a city employee visits a resident's home to:

1. Review consumption information
2. Check for leaks
3. Check fixture flow rates and replace fixture with efficient model if necessary
4. Survey irrigation system and provide customer with a report of irrigation/landscape inefficiencies. The report includes suggestions for landscape/irrigation improvements and remediation to reduce runoff and improve water use efficiency.

Either as a result of the water audit, or at the request of any resident, the City offers free water-saving fixtures such as shower heads and bath and kitchen aerators. Redwood City gave away over 400 conservation kits and low-flow fixtures to residents.

The City also participates in a collaborative program offered by San Mateo County, whereby BAWSCA member agencies offer a 50% cost share barrel rebate program. Residents can get up to \$100 per installation (max 2).

Redwood City's Water Resources Division has been a signatory to the California Urban Water Conservation Council (now CALWEP) since the early 1990's and has implemented all the BMPs aggressively since the early 2000s. One of the BMPs is public outreach, Redwood City has

promoted water conservation information and programs through several venues including: The City's website, social media, announcements on the utility bill, hosting a booth at events, and email. Some of the highlights of the City's water conservation promotions include:

- Tabling by City Staff at various events to distribute giveaways and disseminate water pollution and conservation-related information.

Events occurred throughout the year and included:

- July 4th Parade
 - Salsa Festival
 - Seaport Centre Earth Day
 - Paragon Point Earth Day
 - "Touch a Truck" event
- Email messaging, tweets, and website updates to continuously provide updates and reminders regarding water pollution and conservation, and available classes, rebates, and incentives.

Redwood City offers a climate appropriate irrigation schedule for all of our customers, available on our website and all public city facilities. We calculate a water budget for single family residential and dedicated irrigation customer classes. The water budgets use real-time weather to determine if the plant material is irrigated appropriately. For single family residential customers the water budget is only informational. Our irrigation customers are billed based on their water budget. Irrigation accounts have been converted since 2009 to AMI meters that are able to provide hourly consumption. To support our customer water efficiency efforts, we developed a "My Water" website so that customers can login and compare their water budget to their water consumption. Additionally, customers can choose to register for notifications, such as leak alerts. The website and water budget information are promoted through all of the means mentioned in section C.7, as well as when a new customer opens an account, or when a manual meter is changed to AMI an informational door hanger is left.

Dedicated irrigation accounts also have access to a third party vendor website, Waterfluence, the website is intended for use by landscape professionals, property managers, HOA board members. The website uses AMI data for customers to view consumption compared to water budget data as well as notifications. The notifications include monthly water use reports based on their water budget, leak notifications (continuous consumption), day time irrigation, and monthly spike (indicating a break in the irrigation system). Recommendations such as adjusting seasonal irrigation patterns, the number of days per week, and a system tune up.

Related countywide efforts may be described in the following sections of the SMCWPPP FY 2018/19 Annual Report: C.3 New Development and Redevelopment, C.7. Public Information and Outreach, C.9. Pesticide Toxicity Control, and C.15 Exempted and Conditionally Exempted Discharges.

FY 2018-2019 Annual Report

Permittee Name: City of Redwood City

City of Redwood City



Attachment

Provision C.3 Reporting New Development and Redevelopment

1. C.3.e.v Special Projects Narrative Discussions

NARRATIVE DISCUSSION OF LID FEASIBILITY OR INFEASIBILITY

610 Walnut Street, Redwood City

This report provides a narrative discussion of the feasibility or infeasibility of providing 100 percent low impact development (LID) treatment for 610 Walnut Street, which has been identified as a potential Special Project, based on Special Project criteria provided in Provision C.3.e.ii of the Municipal Regional Stormwater Permit (MRP.) This report is prepared in accordance with the requirement in MRP Provision C.3.e.vi.(2), to include in Special Projects reporting a narrative discussion of the feasibility or infeasibility of 100 percent LID treatment onsite or offsite.

1.) Feasibility/Infeasibility of Onsite LID Treatment

The project site was reviewed with regard to the feasibility and infeasibility of onsite LID treatment. The results of this review showed that it was feasible to treat 0% of the C.3.d. amount of runoff with LID treatment. The findings of this review are presented below.

a.) On-site Drainage Conditions.

The site will consist of one large drainage management area (DMA) consisting of the building roofing. Roofing will be graded such that all stormwater drainage will flow towards and into downspouts. This DMA will connect to a single non-LID treatment media filter – storm water measure, located within the building footprint. After mechanical treatment, storm water will flow directly into the existing municipal storm water system.

b.) Self-treating and Self-Retaining Areas and LID Treatment Measures.

No self-treating areas, self-retaining areas, or LID treatment measures will be implemented per building footprint infeasibility.

c.) Maximizing Flow to LID Features and Facilities.

No LID features will be provided.

d.) Constraints to Providing On-site LID.

This DMA is equivalent to the area within the property line and does not include areas outside of the building footprint. The entirety of the site's area consists of building footprint; therefore, inadequate size is available to accommodate biotreatment facilities to meet sizing requirements for the tributary area.

2.) Feasibility/Infeasibility of Off-Site LID Treatment.

This project scope includes off-site work; however, the project is exempt from LID treatment measure implementation due to an inability to provide treatment area.

NARRATIVE DISCUSSION OF LID FEASIBILITY OR INFEASIBILITY

150 Charter, Redwood City

1. Feasibility/Infeasibility of Onsite Infiltration

The Countywide Program's C.3 Regulated Projects Checklist and Special Projects Worksheet were completed for the project. The results of this analysis showed that it was infeasible to treat the C.3.d amount of runoff with infiltration and/or harvesting and use.

2. Feasibility/Infeasibility of Onsite LID Treatment

The project site was reviewed with regard to the feasibility and infeasibility of onsite LID treatment. The results of this review showed that it was infeasible to treat 55 percent (55%) of the C.3.d amount of runoff with LID treatment. The findings of this review are presented below.

a. **On-site Drainage Conditions.** On-site drainage consists of rainwater collected on the building roofs, paths, and driveways and directed to the onsite storm drain system. The stormwater from the roof is routed to flow through planters on the building's podium level and/or to an at-grade bioretention area within the project's frontage before entering the City's storm drain system. Stormwater from the driveways is collected and then detained within onsite storm drain pipes before passing through a media filtration system and entering the City's storm drain system.

b. **Self-treating and Self-Retaining Areas and LID Treatment Measures.** There are no self-treating or self-retaining areas onsite. The LID treatment measure is for the 45% non-LID exempt area. Flow-through planters will be provided on the podium level to treat 45% of the on-site drainage.

c. **Maximizing Flow to LID Features and Facilities.** 45% of the drainage from the surrounding roof areas will be designed to flow to the flow-through planters, which is the maximum area that can be routed to the flow-through planters based on C3 sizing criteria.

d. **Constraints to Providing On-site LID.**

i. **Impervious paved areas:** The site is covered by the proposed building and access driveways.

ii. **Landscaped areas:** There are no landscaped areas available on the site other than the proposed flow-through planters on the podium level and the area already proposed to contain a bioretention area within the frontage.

3. Feasibility/Infeasibility of Off-site LID Treatment. The possibility of providing off-site LID treatment for 100% of the site area was found to be infeasible for the following reasons.

a. No additional property within the same watershed is owned by the project applicant. Increasing the size of the LID treatment area within the project frontage is infeasible for the following reasons:

- Increasing the size of the bio-retention area within Charter Street creates grading issues, since the bottom of the bio-retention basin must be set at a flat elevation, while the adjacent roadway is sloped. This results in large vertical drops between the roadway and bio-retention area bottom.
- Increasing the bio-retention area in Charter Street would require relocation of existing underground electrical and communications facilities.
- Increasing the bio-retention area in Charter Street would further reduce the number of parking stalls within Charter Street.

b. There is no regional LID stormwater mitigation program available for in-lieu C.3 compliance.

NARRATIVE DISCUSSION OF LID FEASIBILITY OR INFEASIBILITY

1601 El Camino Real, Redwood City

1. Feasibility/Infeasibility of Onsite Infiltration

The Countywide Program's C.3 Regulated Projects Checklist and Special Projects Worksheet were completed for the project. The results of this analysis showed that it was infeasible to treat the C.3.d amount of runoff with infiltration and/or harvesting and use.

2. Feasibility/Infeasibility of Onsite LID Treatment

The project site was reviewed with regard to the feasibility and infeasibility of onsite LID treatment. The results of this review showed that it was infeasible to treat 55 percent (55%) of the C.3.d amount of runoff with LID treatment. The findings of this review are presented below.

a. **On-site Drainage Conditions.** On-site drainage consists of rainwater collected on the building roofs and paths and directed to the onsite storm drain system. Where feasible, the stormwater from the roof is routed to bioretention areas and/or flow-through planters within the project site before entering the City's storm drain system. Stormwater from the remaining area is collected and then detained within onsite storm drain pipes before passing through a media filtration system and entering the City's storm drain system.

b. **Self-treating and Self-Retaining Areas and LID Treatment Measures.** There are no self-treating or self-retaining areas onsite. The LID treatment measure is for the 45% non-LID exempt area. Flow-through planters and bioretention areas will be provided to treat 45% of the on-site drainage.

c. **Maximizing Flow to LID Features and Facilities.** 45% of the drainage from the surrounding roof areas will be designed to flow to the flow-through planters and bioretention areas, which is the maximum area that can be routed to the flow-through planters based on C3 sizing criteria.

d. **Constraints to Providing On-site LID.**

i. **Impervious paved areas:** The site is covered by the proposed buildings and pathways.

ii. **Landscaped areas:** There are no landscaped areas available on the site other than the proposed flow-through planters on the podium levels and the area already proposed to contain a bioretention areas.

3. Feasibility/Infeasibility of Off-site LID Treatment. The possibility of providing off-site LID treatment for 100% of the site area was found to be infeasible for the following reasons.

a. No additional property within the same watershed is owned by the project applicant. Stormwater treatment for the public right of way (Green Infrastructure) is already proposed with the project. Increasing the size of the LID treatment areas within the project frontage is infeasible for the following reasons:

- Increasing the size of the treatment areas within the public right of way conflicts with the installation of various existing and proposed utility mains and service lines.
- Increasing the bio-retention areas within the public right of way would further reduce the number of parking stalls available for the project, including those designated for childcare drop-off & pick-up.

b. There is no regional LID stormwater mitigation program available for in-lieu C.3 compliance.

FY 2018-2019 Annual Report
Permittee Name: City of Redwood City

City of Redwood City



Attachment

Provision C.4 Industrial and Commercial Site Controls

1. C.4.b.iii. Potential Facilities List

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|----|---|---------|---------------------|------------------|-----------|
| 1 | ARRINEX, INC. | 1755 | E. BAYSHORE RD. | REDWOOD CITY, CA | 2 YEAR |
| 2 | SPECIALTYS CAFE & BAKERY | 1100 | ISLAND | REDWOOD CITY, CA | 2 YEAR |
| 3 | BROADWAY AUTO INC | 1101 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 4 | CHEF CHENS | 820 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 5 | DINER JAPONICA | 593 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 6 | PIZZA HUT #283335 | 600 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 7 | TECHSHOP MID-PENINSULA | 2415 | BAY | REDWOOD CITY, CA | 2 YEAR |
| 8 | ARCO 00573 | 610 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 9 | KARAKADE THAI CUISINE | 593 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 10 | Kentucky Fried Chicken | 659 | Woodside | REDWOOD CITY, CA | 2 YEAR |
| 11 | PACIFIC DRYWALL INC | 1207 | SHASTA | REDWOOD CITY, CA | 2 YEAR |
| 12 | SEVEN ELEVEN STORE #14339 | 895 | 5TH | REDWOOD CITY, CA | 2 YEAR |
| 13 | ROUTE 66 ROADSIDE SERVICE | 1207 | SHASTA | REDWOOD CITY, CA | 2 YEAR |
| 14 | ROUTE 66 ROADSIDE SERVICE | 1207 | SHASTA | REDWOOD CITY, CA | 2 YEAR |
| 15 | CLEAN HARBORS ENVIRONMENTAL SERVICES LLC | 695 | SEAPORT BLVD | REDWOOD CITY, CA | ANNUAL |
| 16 | TAQUERIA EL GRULLENSE | 1280 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 17 | HACIENDA TAQUERIA | 895 | 2ND | REDWOOD CITY, CA | 2 YEAR |
| 18 | LA CASITA CHILANGA | 795 | 5TH | REDWOOD CITY, CA | 2 YEAR |
| 19 | AMERICAN LEGION #105 RWC POST | 651 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 20 | CVS PHARMACY | 1301 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 21 | REDWOOD 76 (C&A Venture Group, Inc) | 1603 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 22 | Wheel Works #240716 | 2411 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 23 | JON 76 | 234 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 24 | 76 AUTO REPAIR & TOWING | 234 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 25 | REDWOOD CITY SMOG CHECK | 234 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 26 | APNICURE | 900 | CHESAPEAKE | REDWOOD CITY, CA | 5 YEARS |
| 27 | QUINTO SOL RESTAURANT | 2201 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 28 | CURION (same address as Tragon) | 350 | BRIDGE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 29 | TRAGON CORPORATION | 350 | BRIDGE PKWY | REDWOOD CITY, CA | 2 YEAR |
| 30 | STARBUCK'S COFFEE #5420 | 264 | REDWOOD SHORES PKWY | REDWOOD CITY, CA | 2 YEAR |
| 31 | GENERAL NUTRITION CENTER # 1613 | 260 | REDWOOD SHORES | REDWOOD CITY, CA | 2 YEAR |
| 32 | FLYERS #270 | 699 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 33 | CEMEX CONSTRUCTION MATERIALS PACIFIC, LLC | 775 | SEAPORT BLVD | REDWOOD CITY, CA | ANNUAL |
| 34 | CARGILL SALT | 295 | SEAPORT BLVD | REDWOOD CITY, CA | ANNUAL |
| 35 | AUTO PRIDE CAR WASH | 909 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|----|--|---------|-----------------|------------------|-----------|
| 36 | BON APPETIT MGMT | 10 | TWIN DOPHIN DR. | REDWOOD CITY, CA | 2 YEAR |
| 37 | GUCKENHEIMER SERVICES, LLC @PAC SHORES (now google, inspected 18/29) | 1300 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 38 | DBA TOYOTA 101 | 618 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 39 | KARIUS, INC. | 975 | ISLAND DR. | REDWOOD CITY, CA | 2 YEAR |
| 40 | Firestone Complete Auto Care #012858 | 1458 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 41 | EXPERT WOODWORKING | 924 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 42 | MUNICIPAL SERVICES CTR | 1400 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 43 | MUFFLER EXPRESS | 1414 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 44 | PUTNAM LEXUS | 390 | CONVENTION | REDWOOD CITY, CA | 2 YEAR |
| 45 | PUTNAM LEXUS | 400 | CONVENTION | REDWOOD CITY, CA | 2 YEAR |
| 46 | ARYA GLOBAL CUISINE | 885 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 47 | SEAPORT LIFT STATION #2 | 501 | GALVESTON | REDWOOD CITY, CA | 2 YEAR |
| 48 | FIRE STATION #12 | 3700 | JEFFERSON | REDWOOD CITY, CA | 2 YEAR |
| 49 | WHIPPLE ARCO | 504 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 50 | BAY AREA PETROLEUM VENTURES LLC | 504 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 51 | ASCEND CLINICAL LLC | 1400 | INDUSTRIAL | REDWOOD CITY, CA | 5 YEARS |
| 52 | Lucky #745 | 200 | Woodside | REDWOOD CITY, CA | 2 YEAR |
| 53 | O'Reilly Auto Parts #3474 | 2411 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 54 | Whipple Shell | 639 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 55 | ROYS CLEANER | 1100 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 56 | Verizon Wireless Pulgas Massachusetts | 2055 | Woodside | REDWOOD CITY, CA | 2 YEAR |
| 57 | COSTCO WHOLESALE #1042 | 2300 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 58 | PETERSEN PRECISION | 611 | BROADWAY | REDWOOD CITY, CA | ANNUAL |
| 59 | M.J. FOOD & LIQUOR | 850 | BREWSTER AVE. | REDWOOD CITY, CA | 2 YEAR |
| 60 | A-ABCO RENTS & SELLS | 1050 | CHARTER | REDWOOD CITY, CA | 5 YEARS |
| 61 | AARTI Petroleum | 503 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 62 | HOOVER SCHOOL | 701 | CHARTER | REDWOOD CITY, CA | 2 YEAR |
| 63 | GUCKENHEIMER SERVICES, LLC @ GOOGLE - RWC 1600 | 1600 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 64 | GUCKENHEIMER SERVICES, LLC @ GOOGLE - RWC 1900 | 1900 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 65 | BOLT BIOTHERAPEUTICS INC | 640 | GALVESTON DR. | REDWOOD CITY, CA | 2 YEAR |
| 66 | PENINSULA SCREEN SHOP | 2127 | MIDDLEFIELD RD. | REDWOOD CITY, CA | 2 YEAR |
| 67 | DENNYS | 1201 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 68 | SAKURA 2 | 373 | MAIN | REDWOOD CITY, CA | 2 YEAR |
| 69 | CARLS JR RESTAURANT | 1001 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 70 | KINGS UNION 76 | 975 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|---|---------|------------------|------------------|-----------|
| 71 | AUTOHAUS KLAUS NAGEL | 1690 | INDUSTRIAL | REDWOOD CITY, CA | 2 YEAR |
| 72 | SANZ BODY SHOP | 3150 | ROLISON | REDWOOD CITY, CA | 2 YEAR |
| 73 | Rite Aid #5892 | 340 | Woodside | REDWOOD CITY, CA | 2 YEAR |
| 74 | SIZZLER | 1011 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 75 | PULMONX CORPORATION | 700 | CHESAPEAKE | REDWOOD CITY, CA | ANNUAL |
| 76 | SRDC, INC. | 199 | Seaport Blvd | REDWOOD CITY, CA | ANNUAL |
| 77 | NAZARETH ICE OASIS | 3140 | BAY | REDWOOD CITY, CA | 2 YEAR |
| 78 | ICE OASIS GRILL | 3140 | BAY | REDWOOD CITY, CA | 2 YEAR |
| 79 | AIRE SHEET METAL INC | 1973 | BAYSHORE | REDWOOD CITY, CA | 2 YEAR |
| 80 | TARGET T0321 | 2485 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 81 | QUICKLY | 300 | WALNUT | REDWOOD CITY, CA | 2 YEAR |
| 82 | GENOMIC HEALTH | 301 | PENOBSCOT | REDWOOD CITY, CA | 2 YEAR |
| 83 | GENOMIC HEALTH INC | 101 | GALVESTON | REDWOOD CITY, CA | 2 YEAR |
| 84 | GENOMIC HEALTH INC | 701 | GALVESTON | REDWOOD CITY, CA | 2 YEAR |
| 85 | QUALITY AUTO BODY & PAINT | 3012 | SPRING | REDWOOD CITY, CA | 2 YEAR |
| 86 | SEQUOIA YACHT CLUB | 441 | SEAPORT | REDWOOD CITY, CA | 2 YEAR |
| 87 | RADIOCAT INC. | 934 | CHARTER ST. | REDWOOD CITY, CA | 2 YEAR |
| 88 | SAGE CENTERS FOR VETERINARY SPECIALTY & EMERGENCY CARE | 934 | CHARTER ST. | REDWOOD CITY, CA | 2 YEAR |
| 89 | EL GRULLENSE GRILL | 2525 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 90 | EL GRULLENSE E & E | 2401 | MIDDLEFIELD ROAD | REDWOOD CITY, CA | 2 YEAR |
| 91 | FRANKLIN ST COFFEE | 1053 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 92 | ALPINE CONSTRUCTION | 927 | ARGUELLO | REDWOOD CITY, CA | 2 YEAR |
| 93 | WHIPPLE AUTO SERVICE | 503 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 94 | PACIFIC SHORES LIFT STATION #2 | 1855 | SEAPORT | REDWOOD CITY, CA | 2 YEAR |
| 95 | REDWOOD SHORES STATION #15 | 333 | TWIN DOLPHIN | REDWOOD CITY, CA | 2 YEAR |
| 96 | PULLMAN SAN FRANCISCO BAY | 223 | TWIN DOPHIN DR. | REDWOOD CITY, CA | 2 YEAR |
| 97 | SMCO THHW | 1400 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 98 | SPECIALTYS CAFE AND BAKERY | 701 | CHESAPEAKE | REDWOOD CITY, CA | 2 YEAR |
| 99 | Kmart #4349 | 1155 | Veterans | REDWOOD CITY, CA | 2 YEAR |
| 100 | BELL'ARTE DENTAL LABORATORY | 133 | ARCH ST. | REDWOOD CITY, CA | 2 YEAR |
| 101 | CASTILLOS AUTO ELECTRIC | 24 | WILLOW | REDWOOD CITY, CA | 2 YEAR |
| 102 | GUARDANT HEALTH | 505 | PENOBSCOT | REDWOOD CITY, CA | 2 YEAR |
| 103 | THE PATTY SHACK | 909 | MAIN | REDWOOD CITY, CA | 2 YEAR |
| 104 | MENLO THERAPEUTICS INC (May have been leased by Pearl Therapeutics previously, or shared tenancy) | 200 | CARDINAL WAY | REDWOOD CITY, CA | 2 YEAR |
| 105 | ELKS LODGE | 938 | WILMINGTON | REDWOOD CITY, CA | 2 YEAR |
| 106 | PENINSULA INFINITI | 385 | CONVENTION | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|---|---------|----------------------|------------------|-----------|
| 107 | SEA LINK CAFÉ | 399 | MARINE | REDWOOD CITY, CA | 2 YEAR |
| 108 | YUMI YOGURTS | 947 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 109 | HUDSON PACIFIC PROPERTIES | 203 | REDWOOD SHORES | REDWOOD CITY, CA | 2 YEAR |
| 110 | HUDSON 333 TWIN DOLPHIN PLAZA, LLC | 333 | TWIN DOLPHIN DR. | REDWOOD CITY, CA | 2 YEAR |
| 111 | HUDSON 555 TWIN DOLPHIN PLAZA, LLC | 555 | TWIN DOLPHIN DR. | REDWOOD CITY, CA | 2 YEAR |
| 112 | Kentucky Fried Chicken | 204 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 113 | PANADERIA Y RESTAURANTE GUATEMALTECA | 1509 | MAIN | REDWOOD CITY, CA | 2 YEAR |
| 114 | SQUEEZE IN | 3710 | FLORENCE | REDWOOD CITY, CA | 2 YEAR |
| 115 | CYCLE GEAR | 1326 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 116 | REDWOOD GENERAL TIRE SERVICE | 1630 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 117 | MONNEY | 850 | 2ND AVE. | REDWOOD CITY, CA | 2 YEAR |
| 118 | MA CATERING | 1714 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 119 | PT OF RC - Maintenance Warehouse | 775 | Seaport | REDWOOD CITY, CA | 2 YEAR |
| 120 | PT OF RC-USED OIL COLLECTION CTR | 451 | SEAPORT | REDWOOD CITY, CA | 2 YEAR |
| 121 | AutoZone #4026 | 901 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 122 | CVS/PHARMACY # 16112 | 2485 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 123 | HELENS ONE HOUR CLEANERS | 1594 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 124 | Party City #1211 Redwood City | 1289 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 125 | HOPKINS ACURA | 1555 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 126 | PRO CARE | 1704 | INDUSTRIAL | REDWOOD CITY, CA | 2 YEAR |
| 127 | BON APPETIT @ EA COMMONS CAFE | 211 | REDWOOD SHORES | REDWOOD CITY, CA | 2 YEAR |
| 128 | CODEXIS, INC | 501 | CHESAPEAKE | REDWOOD CITY, CA | 2 YEAR |
| 129 | CODEXIS, INC. | 400 | PENOBSCOT | REDWOOD CITY, CA | 2 YEAR |
| 130 | MCDONALD'S | 709 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 131 | TOYOTA 101 | 525 | E. BAYSHORE RD. | REDWOOD CITY, CA | 2 YEAR |
| 132 | THE PATIO CAFÉ | 1 | LAGOON DRIVE #150 | REDWOOD CITY, CA | 2 YEAR |
| 133 | SEAPORT REFINING & LLC | 679 | SEAPORT | REDWOOD CITY, CA | ANNUAL |
| 134 | BEVERAGES & MORE | 1745 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 135 | GORDON MANOR | 1616 | GORDON ST. | REDWOOD CITY, CA | 2 YEAR |
| 136 | RWC EUROPEAN CARS [LEGACY AUTO REPAIRS] | 105 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 137 | EDGEWOOD PUMP STATION | 2196 | EDGEWOOD | REDWOOD CITY, CA | 2 YEAR |
| 138 | GLENWOOD PUMP STATION | 3628 | GLENWOOD AVE | REDWOOD CITY, CA | 2 YEAR |
| 139 | PEN#2 WATER PUMP STATION | 1050 | TWIN DOLPHIN DR | REDWOOD CITY, CA | 2 YEAR |
| 140 | GLENLOCH PUMP STATION | | GLENLOCH & HILLCREST | REDWOOD CITY, CA | 2 YEAR |
| 141 | BAY LEAF CAFE | 1201 | RADIO RD. | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|------------------------|------------------|-----------|
| 142 | NATERA, INC. | 1300 | ISLAND DR. | REDWOOD CITY, CA | 2 YEAR |
| 143 | CROSSING 900 - KILROY REALTY MANAGEMENT GROUP | 900 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 144 | FAMILY ASTHMA & ALLERGY CENTER | 730 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 145 | CITIZEN MUSE | 2115 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 146 | LAVISH BEAUTY | 2890 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 147 | GENETIC MODIFIERS NEWCO, INC | 123 | SAGINAW DR | REDWOOD CITY, CA | 2 YEAR |
| 148 | REVERE COFFEE & TEA | 2074 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 149 | PBP BODY & PAINT | 24 | WILLOW ST | REDWOOD CITY, CA | 2 YEAR |
| 150 | MY SASSY NAILS | 723 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 151 | BLUEMERCURY | 1043 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 152 | HOME SMILES, INC | 1526 | STAFFORD ST. | REDWOOD CITY, CA | 2 YEAR |
| 153 | CARLSEN SUBARU | 480 | VETERANS BLVD | REDWOOD CITY, CA | 2 YEAR |
| 154 | CAR DAY CARE CENTER-CARLSEN SUBARU | 535 | WHIPPLE AVE | REDWOOD CITY, CA | 2 YEAR |
| 155 | BIOSTRIDE INC. | 120 | DOUGLAS AVE | REDWOOD CITY, CA | 2 YEAR |
| 156 | AMICI'S EAST COAST PIZZERIA | 226 | REDWOOD SHORES PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 157 | US CHINESE FOOD | 2490 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 158 | NORDIC MOTORS | 65 | WINSLOW ST. | REDWOOD CITY, CA | 2 YEAR |
| 159 | PRENAV | 121 | BEECH ST. | REDWOOD CITY, CA | 2 YEAR |
| 160 | JLL BUILDING MANAGEMENT - Pacific Data Images, LLC | 1400 A | SEAPORT BLVD | REDWOOD CITY, CA | 2 YEAR |
| 161 | TAQUERIA MAR Y TIERRA | 1475 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 162 | COOKS COLLISION OF REDWOOD CITY | 1104 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 163 | SYNTHEGO CORP | 3696 | HAVEN AVE | REDWOOD CITY, CA | 2 YEAR |
| 164 | CHEVRON #91374 | 990 | VETERAN BLVD | REDWOOD CITY, CA | 2 YEAR |
| 165 | ROOSEVELT SHELL | 2108 | ROOSEVELT AVE | REDWOOD CITY, CA | 2 YEAR |
| 166 | NIKKO'S MEXICAN GRILL | 408 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 167 | STARBUCKS COFFEE #6585 | 995 | MARSH RD | REDWOOD CITY, CA | 2 YEAR |
| 168 | ARGUELLO CATERING | 1757 | EAST BAYSHORE RD #14 | REDWOOD CITY, CA | 2 YEAR |
| 169 | ALFREDO ZENON TICLLACURI MONTERO/ROYAL PRESTIGE | 1755 | E BAYSHORE RD | REDWOOD CITY, CA | 2 YEAR |
| 170 | DORIS RESTREPO HOLGUIN/ROYAL PRESTIGE | 1755 | E BAYSHORE RD | REDWOOD CITY, CA | 2 YEAR |
| 171 | FELIPE BORBOLLA-BARRERAS SANDRA FIRERRO/ROYAL PRES | 1755 | E BAYSHORE RD | REDWOOD CITY, CA | 2 YEAR |
| 172 | FIVE GUYS | 238 | REDWOOD SHORES PKWY | REDWOOD CITY, CA | 2 YEAR |
| 173 | APATZINGAN PANADERIA | 739 | CHESTNUT ST | REDWOOD CITY, CA | 2 YEAR |
| 174 | ION MEDIA OF SAN JOSE INC | 660 | PRICE AVE | REDWOOD CITY, CA | 2 YEAR |
| 175 | NORDEN MANAGEMENT LLC | 1524 | WHIPPLE AVE | REDWOOD CITY, CA | 2 YEAR |
| 176 | PENTAX MEDICAL COMPANY | 303 | CONVENTION WAY | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|---|---------|----------------------|------------------|-----------|
| 177 | Q BIO, INC. | 410 | BREWSTER AVE | REDWOOD CITY, CA | 2 YEAR |
| 178 | BRUCE A. LEHNERT, DPM PODIATRY CORPORATION | 500 | ARGUELLO AT | REDWOOD CITY, CA | 2 YEAR |
| 179 | JUNOPACIFIC, INC | 2684 | MIDDLEFIELD RD | REDWOOD CITY, CA | 2 YEAR |
| 180 | 1WORLD ONLINE, INC. | 541 | JEFFERSON AVE. | REDWOOD CITY, CA | 2 YEAR |
| 181 | ADVANCED BIOSYSTEMS | 1755 | E BAYSHORE RD | REDWOOD CITY, CA | 2 YEAR |
| 182 | PARAMITA ROY DDS DENTAL CORPORATION | 2950 | WHIPPLE AVE | REDWOOD CITY, CA | 2 YEAR |
| 183 | PREMIER AMUSEMENTS INC (Century Theaters) | 825 | MIDDLEFIELD RD | REDWOOD CITY, CA | 2 YEAR |
| 184 | MEDDFO INC / KITCHENINA | 178 | CLINTON ST | REDWOOD CITY, CA | 2 YEAR |
| 185 | CRAFTSMAN BY HAIR CAFFE, INC. | 715 | ARGUELLO ST | REDWOOD CITY, CA | 2 YEAR |
| 186 | KRISTINA HAIRSTYLIST | 980 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 187 | CLAES JONSSON | 1072 | JONES CT | REDWOOD CITY, CA | 2 YEAR |
| 188 | KINGDOM KUTS | 1766 | BROADWAY ST | REDWOOD CITY, CA | 2 YEAR |
| 189 | AKA WIRELESS, INC. | 1025 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 190 | REDWOOD ACUPUNCTURE | 390 | BRIDGE PKWY | REDWOOD CITY, CA | 2 YEAR |
| 191 | CALEX BUILDERS | 135 | E ST | REDWOOD CITY, CA | 2 YEAR |
| 192 | ELIZABETH'S SASSY BEAUTY & HAIR | 2417 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 193 | BROW VIBES | 2115 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 194 | ALL TEMP HVAC | 2993 | SPRING ST | REDWOOD CITY, CA | 2 YEAR |
| 195 | PRO HANDY MAN | 765 | 8TH AVE | REDWOOD CITY, CA | 2 YEAR |
| 196 | AT&T MOBILITY -CALIFORNIA P3056 | 1121 | JEFFERSON AVE | REDWOOD CITY, CA | 2 YEAR |
| 197 | MI RANCHO #2 | 150 | CHARTER ST. | REDWOOD CITY, CA | 2 YEAR |
| 198 | SELF SERVE PETROLEUM, INC. (GAS AND SHOP) | 3139 | JEFFERSON AVE. | REDWOOD CITY, CA | 2 YEAR |
| 199 | WOODSIDE GASOLINE INC | 710 | WOODSIDE ROAD | REDWOOD CITY, CA | 2 YEAR |
| 200 | ROYAL CLEANER | 902 | WHIPPLE AVE | REDWOOD CITY, CA | 2 YEAR |
| 201 | CHEF PEKING RESTAURANT | 515 | VETERANS BLVD | REDWOOD CITY, CA | 2 YEAR |
| 202 | CALIFORNIA HIGHWAY PATROL | 355 | CONVENTION WAY | REDWOOD CITY, CA | 2 YEAR |
| 203 | CURRY WRAPPER'S DELIGHT | 312 | ARGUELLO ST. | REDWOOD CITY, CA | 2 YEAR |
| 204 | Univar USA Inc. | 525 | Seaport | REDWOOD CITY, CA | ANNUAL |
| 205 | ONIGILLI | 1757 | E. BAYSHORE | REDWOOD CITY, CA | 2 YEAR |
| 206 | LAND ROVER REDWOOD CITY | 440 | CONVENTION WAY | REDWOOD CITY, CA | 2 YEAR |
| 207 | INTEGRATED DNA TECHNOLOGIES | 200 | CHESAPEAKE DR | REDWOOD CITY, CA | 2 YEAR |
| 208 | CASA DE REDWOOD | 1280 | VETERANS BLVD | REDWOOD CITY, CA | 2 YEAR |
| 209 | BAGEL STREET CAFE - REDWOOD CITY | 254 | REDWOOD SHORES PKWY. | REDWOOD CITY, CA | 2 YEAR |
| 210 | TOYOTA SCION | 61 | WILLOW ST | REDWOOD CITY, CA | 2 YEAR |
| 211 | ECLECDISH CATERING | 1757 | BAYSHORE | REDWOOD CITY, CA | 2 YEAR |
| 212 | VERA CASH MARKET | 400 | VERA AVE | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|-----------------------|------------------|-----------|
| 213 | AVENUE LIQUORS | 2147 | ROOSEVELT AVE. | REDWOOD CITY, CA | 2 YEAR |
| 214 | STARBUCKS COFFEE #555 | 1045 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 215 | MAGUIRE CORRECTIONAL FACILITY | 330 | BRADFORD | REDWOOD CITY, CA | 2 YEAR |
| 216 | KEVIN LEE | 501 | SEAPORT CT | REDWOOD CITY, CA | 2 YEAR |
| 217 | E LA CARTE, INC | 2363 | BROADWAY ST | REDWOOD CITY, CA | 2 YEAR |
| 218 | BUSHWACKER'S BARBER SHOP | 851 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 219 | PERFECT PAWS POSITIVE DOG TRAINING | 1849 | ALAMEDA DE LAS PULGAS | REDWOOD CITY, CA | 2 YEAR |
| 220 | LASHES BY SWETA | 2115 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 221 | THE PERMANENTE MEDICAL GROUP, INC. | 980 | MAPLE ST | REDWOOD CITY, CA | 2 YEAR |
| 222 | MASSAGE ENVY | 326 | WALNUT ST | REDWOOD CITY, CA | 2 YEAR |
| 223 | KZ KITCHEN CABINET & STONE INC | 670 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 224 | ALEX NAIL | 801 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 225 | SOUTH BAY ALLERGY & ASTHMA GROUP, INC. | 100 | ARCH ST | REDWOOD CITY, CA | 2 YEAR |
| 226 | VTMAC | 2656 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 227 | MENLO ATHERTON GLASS CO | 317 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 228 | CELLMED THERAPEUTICS INC | 520 | 2ND AVE | REDWOOD CITY, CA | 2 YEAR |
| 229 | ORCHARD SUPPLY | 2110 | MIDDLEFIELD RD | REDWOOD CITY, CA | 2 YEAR |
| 230 | SEWER LIFT STATION #22 | 999 | REDWOOD SHORES | REDWOOD CITY, CA | 2 YEAR |
| 231 | BOARDWALK AUTO CENTER, INC. | 1 | BAIR ISLAND RD. | REDWOOD CITY, CA | 2 YEAR |
| 232 | EMERALD HILLS COFFEE | 3203 | OAK KNOLL DR. | REDWOOD CITY, CA | 2 YEAR |
| 233 | REDWOOD SHORES CLEANERS | 370 | BRIDGE PARKWAY #103 | REDWOOD CITY, CA | 2 YEAR |
| 234 | Central Concrete Supply Co Plant - 08 | 635 | SEAPORT | REDWOOD CITY, CA | ANNUAL |
| 235 | NORCAL MATERIALS INC. DBA HARBOR READY MIX | 123 | SEAPORT | REDWOOD CITY, CA | ANNUAL |
| 236 | KARTOS THERAPEUTICS, INC | 275 | SHORELINE DR. | REDWOOD CITY, CA | 2 YEAR |
| 237 | AI LLC | 1709 | E BAYSHORE | REDWOOD CITY, CA | ANNUAL |
| 238 | CROPPED HAIR SALON | 2115 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 239 | MIDAS REDWOOD CITY | 2121 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 240 | BRIGHT HORIZONS CHILDRENS CENTERS LLC | 250 | SHORELINE DR | REDWOOD CITY, CA | 2 YEAR |
| 241 | JASONS HAIRCUT SERVICES | 1766 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 242 | RODNEY FRANK GROOMING SERVICES | 1766 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 243 | PLAYA AZUL | 46 | WILLOW ST | REDWOOD CITY, CA | 2 YEAR |
| 244 | A & A SUPER CLEANING SERVICES | 609 | HAMPSHIRE AVE | REDWOOD CITY, CA | 2 YEAR |
| 245 | KG CONSTRUCTION | 152 | NEVADA ST | REDWOOD CITY, CA | 2 YEAR |
| 246 | MAIN ST. MARKET | 804 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 247 | HENRY FORD SCHOOL | 2498 | MASSACHUSETTS | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|--------------------|------------------|-----------|
| 248 | GOURMET HAUS STAUDT | 2615 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 249 | NOAH'S NEW YORK BAGEL #2107 | 1067 | EL CAMINO REAL, RC | REDWOOD CITY, CA | 2 YEAR |
| 250 | REDWOOD CITY SCHOOL WAREHOUSE | 501 | JAMES AVE | REDWOOD CITY, CA | 2 YEAR |
| 251 | SAN MATEO COUNTY MOTOR POOL | 752 | CHESTNUT | REDWOOD CITY, CA | 2 YEAR |
| 252 | ACHAOGEN INC (may have been leased by DICE Molecules previously) | 220 | PENOBSCOT DR. | REDWOOD CITY, CA | 2 YEAR |
| 253 | CEMEX | 876 | SEAPORT | REDWOOD CITY, CA | ANNUAL |
| 254 | A-1 RENTAL CENTER | 1125 | ARGUELLO STREET | REDWOOD CITY, CA | 2 YEAR |
| 255 | ROOSEVELT LIQUOR & GROCERY | 1700 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 256 | TACOS- EL GRULLENSE E & E | 999 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 257 | BK 2443 | 575 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 258 | AUTO MASTER CARE | 67 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 259 | BULA BODY SHOP | 417 | D STREET | REDWOOD CITY, CA | 2 YEAR |
| 260 | RWC FIRE STATION 9 | 755 | MARSHALL ST | REDWOOD CITY, CA | 2 YEAR |
| 261 | RWC POLICE DEPT | 1301 | MAPLE ST | REDWOOD CITY, CA | 2 YEAR |
| 262 | PABCO GYPSUM | 675 | Seaport | REDWOOD CITY, CA | ANNUAL |
| 263 | Granite Rock Company | 195 | Seaport | REDWOOD CITY, CA | ANNUAL |
| 264 | GRANITE ROCK ASPHALT&ROAD OILS | 365 | BLOMQUIST ST | REDWOOD CITY, CA | ANNUAL |
| 265 | GRANITE ROCK CONCRETE | 355 | BLOMQUIST ST | REDWOOD CITY, CA | ANNUAL |
| 266 | AB&W MARKET | 3115 | JEFFERSON AVE. | REDWOOD CITY, CA | 2 YEAR |
| 267 | ROSS STORES, INC. #5 | 150 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 268 | YAT SING RESTAURANT | 38 | WOODSIDE PLAZA | REDWOOD CITY, CA | 2 YEAR |
| 269 | MAX'S RESTAURANT | 1001 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 270 | MARTINS WEST | 831 | MAIN ST. | REDWOOD CITY, CA | 2 YEAR |
| 271 | LV MAR | 2042 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 272 | ERIKS DELI CAFE | 400 | WALNUT | REDWOOD CITY, CA | 2 YEAR |
| 273 | NVENT Thermal, LLC | 899 | BROADWAY | REDWOOD CITY, CA | ANNUAL |
| 274 | NVENT Thermal, LLC | 901 | BROADWAY | REDWOOD CITY, CA | ANNUAL |
| 275 | NVENT Thermal, LLC | 2501 | BAY ROAD | REDWOOD CITY, CA | ANNUAL |
| 276 | NVENT Thermal, LLC | 947 | DOUGLAS AVE | REDWOOD CITY, CA | ANNUAL |
| 277 | MCDONALD'S RESTAURANT | 185 | CHESTNUT ST | REDWOOD CITY, CA | 2 YEAR |
| 278 | WING STOP RESTAURANT | 1918 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 279 | SPIROX | 595 | PENOBSCOT DR. | REDWOOD CITY, CA | 2 YEAR |
| 280 | KASA INDIAN EATERY | 2086 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 281 | STEELMAN ORIENTAL RUGS | 3600 | HAVEN AVE | REDWOOD CITY, CA | 2 YEAR |
| 282 | LARSEN HAIR | 220 | MARSHALL ST | REDWOOD CITY, CA | 2 YEAR |
| 283 | MABXELL INC | 3698 | HAVEN AVE | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|-----------------|------------------|-----------|
| 284 | TECAN GENOMICS, INC. | 900 | CHESAPEAKE DR | REDWOOD CITY, CA | 2 YEAR |
| 285 | ALLAKOS, INC | 975 | ISLAND DR | REDWOOD CITY, CA | 2 YEAR |
| 286 | MCCOS AUTO BODY & PAINT | 24 | WILLOW ST | REDWOOD CITY, CA | 2 YEAR |
| 287 | TACO'S JALISCO #2 | 451 | DUMBARTON AVE | REDWOOD CITY, CA | 2 YEAR |
| 288 | MZ STYLES | 220 | MARSHALL ST | REDWOOD CITY, CA | 2 YEAR |
| 289 | GHINA MORAD DMD, A PROFESSIONAL CORPORATION | 2920 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 290 | BRISTOL- MYERS SQUIBB | 740 | BAY RD | REDWOOD CITY, CA | ANNUAL |
| 291 | BRISTOL- MYERS SQUIBB | 700 | BAY RD | REDWOOD CITY, CA | ANNUAL |
| 292 | SIMS METAL MANAGEMENT | 699 | SEAPORT | REDWOOD CITY, CA | ANNUAL |
| 293 | FIVE POINTS TIRE IMPORTS INC | 10 | MANZANITA ST | REDWOOD CITY, CA | 2 YEAR |
| 294 | PORTA'S TOWING | 3020 | ROLISON ROAD | REDWOOD CITY, CA | 2 YEAR |
| 295 | FIRE STATION #20 | 680 | REDWOOD SHORES | REDWOOD CITY, CA | 2 YEAR |
| 296 | PASCAL MARECHAL PAINTING | 3100 | ROLISON RD | REDWOOD CITY, CA | 2 YEAR |
| 297 | GOLDEN COAST PLASTIC SURGERY, PC | 133 | ARCH ST | REDWOOD CITY, CA | 2 YEAR |
| 298 | THAI HOUSE RESTAURANT | 1742 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 299 | THE SPORTS BASEMENT | 202 | WALNUT ST | REDWOOD CITY, CA | 2 YEAR |
| 300 | JEFFREY SULITZER, D.M.D., PROFESSIONAL CORPORATION (Smile Direct Club) | 2115 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 301 | SALLY BEAUTY SUPPLY 10659 | 2535 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 302 | SAUCEBELLY | 938 | WILMINGTON WAY | REDWOOD CITY, CA | 2 YEAR |
| 303 | CRAFTSMAN BY HAIR CAFFE | 715 | ARGUELLO ST | REDWOOD CITY, CA | 2 YEAR |
| 304 | WORLDPAC #9648 (3873) | 1050 | CHARTER ST | REDWOOD CITY, CA | 2 YEAR |
| 305 | JUUL LABS, INC. | 816 | HAMILTON ST | REDWOOD CITY, CA | 2 YEAR |
| 306 | FIRST TRANSIT, INC | 2415 | BAY RD | REDWOOD CITY, CA | 2 YEAR |
| 307 | AWESOME FOOT AND BODY MASSAGE | 1040 | BREWSTER AVE | REDWOOD CITY, CA | 2 YEAR |
| 308 | LUIS FALCONI AUTO SALES | 3520 | HAVEN AVE | REDWOOD CITY, CA | 2 YEAR |
| 309 | APPLEBEE'S-APPLECAL, LLC | 1135 | VETERANS BLVD | REDWOOD CITY, CA | 2 YEAR |
| 310 | TRELLIS BIOSCIENCE LLC | 702 | MARSHALL ST | REDWOOD CITY, CA | 2 YEAR |
| 311 | AREA A | 1000 | TWIN DOLPHIN DR | REDWOOD CITY, CA | 2 YEAR |
| 312 | ACTION SIGN SYSTEMS | 3580 | HAVEN AVE | REDWOOD CITY, CA | 2 YEAR |
| 313 | ACTION TOWING AND ROAD SERVICE | 1790 | INDUSTRIAL WAY | REDWOOD CITY, CA | 2 YEAR |
| 314 | ACELRX PHARMACEUTICALS INC | 351 | GALVESTON DR | REDWOOD CITY, CA | 2 YEAR |
| 315 | ABBVIE BIOTHERAPEUTICS CORP. | 1500 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 316 | MILAGROS RESTAURANT | 1099 | MIDDLEFIELD RD. | REDWOOD CITY, CA | 2 YEAR |
| 317 | PHO TRUONG LONG VIETNAMESE | 759 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 318 | BEN FRANKS RESTAURANT (BF FOODS LLC) | 491 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|---------------------------|------------------|-----------|
| 319 | SEQUOIA HEALTH SERVICES | 170 | ALAMEDA DE LAS PULGAS | REDWOOD CITY, CA | 2 YEAR |
| 320 | LIFT STATION #25 | 1599 | BRIDGE | REDWOOD CITY, CA | 2 YEAR |
| 321 | PACIFIC SHORES LIFT STATION #1 | 1150 | SEAPORT BLVD | REDWOOD CITY, CA | 2 YEAR |
| 322 | SEWER LIFT STATION #17 | 11 | AVOCET | REDWOOD CITY, CA | 2 YEAR |
| 323 | SEWER LIFT STATION #10 | 747 | DAVIT | REDWOOD CITY, CA | 2 YEAR |
| 324 | SEWER LIFT STATION #12 | 790 | MARINE WORLD | REDWOOD CITY, CA | 2 YEAR |
| 325 | SEWER LIFT STATION #19 | | SHEARWATER @ HAMPTON/SHOA | REDWOOD CITY, CA | 2 YEAR |
| 326 | SEWER LIFT STATION #2 | 600 | MARINE WORLD | REDWOOD CITY, CA | 2 YEAR |
| 327 | SEWER LIFT STATION #3 | 512 | TRIDENT | REDWOOD CITY, CA | 2 YEAR |
| 328 | DICE MOLECULES SV, LLC | 220 | PENOBSCOT DR. | REDWOOD CITY, CA | 2 YEAR |
| 329 | PRONTO PIZZERIA & ROTISSERIE | 2560 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 330 | STACK'S RESTAURANT | 314 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 331 | TALK OF BROADWAY | 2096 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 332 | SOPH, INC. | 1201 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 333 | ARIANNA'S LASH & SKIN STUDIO | 2115 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 334 | SMILE CRAFT DENTAL GROUP | 2531 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 335 | TANGIBLE SCIENCE, LLC | 740 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 336 | ROSAS AUTOS | 801 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 337 | SALT & LIGHT | 3740 | FLORENCE ST | REDWOOD CITY, CA | 2 YEAR |
| 338 | SONIA SCHARF | 220 | MARSHALL ST | REDWOOD CITY, CA | 2 YEAR |
| 339 | COLUMBIA ASTHMA & ALLERGY CLINIC LLC | 80 | ARCH ST | REDWOOD CITY, CA | 2 YEAR |
| 340 | LAZ PARKING CALIFORNIA, LLC | 2300 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 341 | LAZ PARKING CALIFORNIA, LLC | 1615 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 342 | AMOUR DE CHEVEUX | 220 | MARSHALL ST | REDWOOD CITY, CA | 2 YEAR |
| 343 | FIREFLY HAIR STUDIO | 2115 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 344 | LIGHT LABS, INC | 725 | SHASTA ST | REDWOOD CITY, CA | 2 YEAR |
| 345 | UNIVERSITY MEDICAL PARTNERS, INC. (Stanford) | 440 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 346 | ROOTS N WINGS MONTESSORI | 2325 | EUCLID AVE | REDWOOD CITY, CA | 2 YEAR |
| 347 | MUSCARA BROTHERS PAVING | 2875 | FAIR OAKS AVE | REDWOOD CITY, CA | 2 YEAR |
| 348 | JOE & THE JUICE NEW YORK LLC | 899 | WINSLOW ST | REDWOOD CITY, CA | 2 YEAR |
| 349 | ELSA'S STUDIO | 3201 | OAK KNOLL DR | REDWOOD CITY, CA | 2 YEAR |
| 350 | EZM AUTOMOTIVE LLC | 1420 | Stafford St | REDWOOD CITY, CA | 2 YEAR |
| 351 | GHOSTWOOD BEER COMPANY, LLC | 1757 | E. Bayshore | REDWOOD CITY, CA | 2 YEAR |
| 352 | GHOSTWOOD BEER COMPANY, LLC | 965 | Brewster | REDWOOD CITY, CA | 2 YEAR |
| 353 | GRIFFIN PAINTING, INC. | 3580 | HAVEN | REDWOOD CITY, CA | 2 YEAR |
| 354 | Honda Redwood City | 601 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|-----------------|------------------|-----------|
| 355 | ANDY'S BP | 895 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 356 | ONCOMED PHARMACEUTICALS INC | 800 | CHESAPEAKE | REDWOOD CITY, CA | 2 YEAR |
| 357 | REDWOOD GRILL | 356 | WOODSIDE PLAZA | REDWOOD CITY, CA | 2 YEAR |
| 358 | JIFFY LUBE | 640 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 359 | FIFTH AVE PUMP STATION | 3011 | BAYSHORE | REDWOOD CITY, CA | 2 YEAR |
| 360 | SEWER LIFT STATION #1 | 100 | MARINE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 361 | SEAPORT PUMP STATION #3 | 207 | PENOBSCOT | REDWOOD CITY, CA | 2 YEAR |
| 362 | PACIFIC SHORES STORM PUMP STA | 800 | SEAPORT | REDWOOD CITY, CA | 2 YEAR |
| 363 | PARKS & RECREATION | 1400 | RADIO | REDWOOD CITY, CA | 2 YEAR |
| 364 | WEST COAST COLLISION (MASON'S AUTO BODY) | 525 | STANDISH | REDWOOD CITY, CA | 2 YEAR |
| 365 | C G & E AUTO BODY | 545 | STANDISH | REDWOOD CITY, CA | 2 YEAR |
| 366 | PEARL THERAPEUTICS INC | 200 | CARDINAL WAY | REDWOOD CITY, CA | 2 YEAR |
| 367 | AVINGER | 400 | CHESAPEAKE | REDWOOD CITY, CA | 2 YEAR |
| 368 | IHOP #684 | 491 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 369 | SUSHI PLUS | 30 | WOODSIDE PLAZA | REDWOOD CITY, CA | 2 YEAR |
| 370 | EL DORADO FORKLIFT CO | 3582 | HAVEN | REDWOOD CITY, CA | 2 YEAR |
| 371 | TECO BUILD INC | 2936 | FLOOD AVE | REDWOOD CITY, CA | 2 YEAR |
| 372 | ZAFIRO'S JEWELRY | 2315 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 373 | VENN BIOSCIENCES, INC. | 800 | CHESAPEAKE DR | REDWOOD CITY, CA | 2 YEAR |
| 374 | SHINY NAILS | 2649 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 375 | ACCUPRESSURE MASSAGE THERAPY | 633 | VETERANS BLVD | REDWOOD CITY, CA | 2 YEAR |
| 376 | HAIRIKA | 980 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 377 | KRISTI MARIES | 318 | ARGUELLO | REDWOOD CITY, CA | 2 YEAR |
| 378 | ROCKY'S BODY SHOP | 1175 | SHASTA | REDWOOD CITY, CA | 2 YEAR |
| 379 | PENINSULA MERCEDES | 650 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 380 | FIRE STATION #11 | 1091 | 2ND | REDWOOD CITY, CA | 2 YEAR |
| 381 | TOWNE FORD SALES | 1601 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 382 | BOARDWALK LOTUS | 629 | BAIR ISLAND RD. | REDWOOD CITY, CA | 2 YEAR |
| 383 | ROCKN WRAPS | 2053 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 384 | YOHO YOGURT | 851 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 385 | TOWNE AUTO BODY | 111 | CEDAR | REDWOOD CITY, CA | 2 YEAR |
| 386 | CANYON AUTO SERVICE | 590 | CANYON | REDWOOD CITY, CA | 2 YEAR |
| 387 | ALAN STEEL & SUPPLY CO | 505 | BAYSHORE | REDWOOD CITY, CA | 2 YEAR |
| 388 | CVS/PHARMACY #9329 | 1039 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 389 | EDIBLE ARRANGEMENTS | 1685 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 390 | DAVITA REDWOOD CITY DIALYSIS | 1000 | MARSHALL | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|------------------|------------------|-----------|
| 391 | KENNEDY & ALLEN INC | 1026 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 392 | RAYS AUTO REPAIR, INC. | 2333 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 393 | SPECIALIZED AUTO | 582 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 394 | CARNAMIC | 543 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 395 | MOSCINI PIZZA INC. | 3121 | JEFFERSON AVE | REDWOOD CITY, CA | 2 YEAR |
| 396 | DENTISTRY UNWIRED DENTAL PRACTICE OF DR. LISA BUDA | 369 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 397 | NIGHTHAWK | 2033 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 398 | DEBUG FASHION | 2115 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 399 | REDWOOD CITY VAPE | 411 | LATHROP ST | REDWOOD CITY, CA | 2 YEAR |
| 400 | VIRAPARIA DENTAL INC | 114 | BIRCH ST | REDWOOD CITY, CA | 2 YEAR |
| 401 | TWELVE | 250 | CHESAPEAKE | REDWOOD CITY, CA | 2 YEAR |
| 402 | TOGOS | 242 | REDWOOD SHORES | REDWOOD CITY, CA | 2 YEAR |
| 403 | B & D AUTOMOTIVE | 1510 | MAIN | REDWOOD CITY, CA | 2 YEAR |
| 404 | ARMO BIOSCIENCES INC | 575 | CHESAPEAKE | REDWOOD CITY, CA | 2 YEAR |
| 405 | AHISUSHI AND HIBACHI | 1784 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 406 | VERINATA HEALTH | 800 | Saginaw | REDWOOD CITY, CA | 2 YEAR |
| 407 | HN LOCKWOOD INC | 450 | Maple | REDWOOD CITY, CA | 2 YEAR |
| 408 | SANCHOS TAQUERIA | 3205 | Oak Knoll Drive | REDWOOD CITY, CA | 2 YEAR |
| 409 | PURPLETIE (prev. Cleansleeves) | 500 | Howland St. | REDWOOD CITY, CA | 2 YEAR |
| 410 | SWIMMING POOL PERFECTIONS (prev. ECGY Pools, Inc.) | 629 | Bair Island Road | REDWOOD CITY, CA | 2 YEAR |
| 411 | Sherwin-Williams #8516 | 696 | Broadway | REDWOOD CITY, CA | 2 YEAR |
| 412 | SIGONAS FARMERS MARKET | 2345 | Middlefield | REDWOOD CITY, CA | 2 YEAR |
| 413 | TACOS LOS GEMELOS | 1630 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 414 | BIG O TIRES | 2310 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 415 | PICENOS COMPLETE AUTO WORKS | 1175 | Shasta | REDWOOD CITY, CA | 2 YEAR |
| 416 | HAPPY DONUTS | 1330 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 417 | PRECISION AUTO REPAIR CENTER | 110 | Pine | REDWOOD CITY, CA | 2 YEAR |
| 418 | Cooks Collision of San Carlos | 1800 | INDUSTRIAL | REDWOOD CITY, CA | 2 YEAR |
| 419 | NARANJOS TAQUERIA | 2647 | Broadway | REDWOOD CITY, CA | 2 YEAR |
| 420 | KARLITA'S TACO PLACE | 512 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 421 | A NEW HOLISTIC LIFE | 797 | ARGUELLO ST | REDWOOD CITY, CA | 2 YEAR |
| 422 | THE GROUP PRACTICE OF IHAB M HANNA, DDS | 20 | BIRCH ST | REDWOOD CITY, CA | 2 YEAR |
| 423 | SHIEH AND LUO DENTAL GROUP | 801 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 424 | JAMS CO HANDYMAN SERVICE | 381 | ROBLE AVE | REDWOOD CITY, CA | 2 YEAR |
| 425 | HOM KOREAN KITCHEN RC | 2639 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 426 | EVGO SERVICES LLC | 3640 | FLORENCE ST | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|---|---------|------------------------|------------------|-----------|
| 427 | EVGO SERVICES LLC | 1250 | JEFFERSON AVE | REDWOOD CITY, CA | 2 YEAR |
| 428 | FOOD STOP MARKETS | 916 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 429 | CENTRUM LIFT STATION | 184 | ORACLE | REDWOOD CITY, CA | 2 YEAR |
| 430 | Redwood City School District(Maintenance and Operation) | 601 | JAMES | REDWOOD CITY, CA | 2 YEAR |
| 431 | Airgas USA, LLC | 1826 | INDUSTRIAL | REDWOOD CITY, CA | 2 YEAR |
| 432 | AB SCIEX LLC | 1201 | RADIO | REDWOOD CITY, CA | 2 YEAR |
| 433 | HIGUMA JAPANESE RESTAURANT | 540 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 434 | FRIDA'S COLIBRI RESTAURANT & BAR LLC | 820 | Veterans Blvd | REDWOOD CITY, CA | 2 YEAR |
| 435 | STATUS AUTO INC. | 3005 | Spring St | REDWOOD CITY, CA | 2 YEAR |
| 436 | WHIT NEWTON YACHTS (Now it's West Point Harbor) | 101 | Westpoint harbor Drive | REDWOOD CITY, CA | 2 YEAR |
| 437 | HERON THERAPEUTICS, INC (Ambys Medicines leases space from Heron) | 123 | SAGINAW | REDWOOD CITY, CA | 2 YEAR |
| 438 | 7-ELEVEN, STORE 2366-15896E | 1700 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 439 | JAMBA JUICE #69 | 1007 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 440 | PENINSULA OB/GYN INTEGRATIVE | 801 | BREWSTER AVE | REDWOOD CITY, CA | 2 YEAR |
| 441 | EUREST DINING | 700 | BAY RD | REDWOOD CITY, CA | 2 YEAR |
| 442 | SQUARE, INC. | 2000 | BROADWAY ST | REDWOOD CITY, CA | 2 YEAR |
| 443 | OSCAR GONZALEZ CONSTRUCTION | 2870 | BLenheim AVE | REDWOOD CITY, CA | 2 YEAR |
| 444 | TANGS ACUPUNCTURE CENTER | 370 | BRIDGE PKWY | REDWOOD CITY, CA | 2 YEAR |
| 445 | OPTIMAL CARPET CLEANING & JANITORIAL | 6 | HOPE CT | REDWOOD CITY, CA | 2 YEAR |
| 446 | CALIBER COLLISION CENTERS | 1800 | INDUSTRIAL WAY | REDWOOD CITY, CA | 2 YEAR |
| 447 | CALIBER COLLISION CENTERS | 1104 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 448 | COMPOUND EYE | 1590 | MARSHALL ST | REDWOOD CITY, CA | 2 YEAR |
| 449 | PRESSURE POWER WASHER SERVICES | 3220 | ROLISON RD | REDWOOD CITY, CA | 2 YEAR |
| 450 | SWING COMPUTERS, INC. | 77 | BIRCH ST | REDWOOD CITY, CA | 2 YEAR |
| 451 | MAVERICK'S PET SITTING | 2710 | OHIO AVE | REDWOOD CITY, CA | 2 YEAR |
| 452 | JAME'S WANG'S ACUPUNCTURE | 370 | BRIDGE PKWY | REDWOOD CITY, CA | 2 YEAR |
| 453 | CALIBER COLLISION CENTERS | 1612 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 454 | HAMTA PARTNERS INC | 370 | CONVENTION WAY | REDWOOD CITY, CA | 2 YEAR |
| 455 | AARNA ENTERPRISES INC | 2107 | ROOSEVELT AVE | REDWOOD CITY, CA | 2 YEAR |
| 456 | 4.S.T. WIRELESS (metroPCS) | 615 | WOODSIDE RD | REDWOOD CITY, CA | 2 YEAR |
| 457 | JUVA LIFE, INC. | 465 | CONVENTION WAY | REDWOOD CITY, CA | 2 YEAR |
| 458 | BELLING DISTRIBUTION, INC. | 465 | CONVENTION WAY | REDWOOD CITY, CA | 2 YEAR |
| 459 | ROCKETSHIP REDWOOD CITY COMMUNITY PREP | 1440 | Connecticut | REDWOOD CITY, CA | 2 YEAR |
| 460 | KENNEDY SCHOOL | 2521 | Goodwin | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|-----------------------|------------------|-----------|
| 461 | A AUTO SERVICE | 540 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 462 | ESTAMPAS PERUANAS | 715 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 463 | BLUEFIN PARTY SUSHI | 2327 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 464 | PAPA JOHNS PIZZA (aka Soph, Inc.) | 1201 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 465 | THE GRILL HOUSE | 246 | Redwood Shores Pkwy | REDWOOD CITY, CA | 2 YEAR |
| 466 | CERRONE EUROPEAN | 2306 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 467 | Portofino Labs | 1475 | Veterans | REDWOOD CITY, CA | 2 YEAR |
| 468 | MERCADITO LATINO | 1726 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 469 | REDWOOD CITY MART (old: Redwood City Martco) | 602 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 470 | Impossible Foods, Inc. | 600 | GALVESTON DR. | REDWOOD CITY, CA | 2 YEAR |
| 471 | Impossible Foods, Inc. | 525 | Chesapeake | REDWOOD CITY, CA | 2 YEAR |
| 472 | Impossible Foods, Inc. | 400 | Saginaw | REDWOOD CITY, CA | 2 YEAR |
| 473 | MARINA STATION | 473 | Seaport | REDWOOD CITY, CA | 2 YEAR |
| 474 | MARINE SCIENCE INSTITUTE | 500 | Discovery Pkwy | REDWOOD CITY, CA | 2 YEAR |
| 475 | THAI HOUSE | 1742 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 476 | MARGARITAS | 2098 | Broadway | REDWOOD CITY, CA | 2 YEAR |
| 477 | SPEEDEE OIL CHANGE | 550 | Veterans Blvd | REDWOOD CITY, CA | 2 YEAR |
| 478 | PENINSULA BUILDING MATERIALS | 109 | Seaport | REDWOOD CITY, CA | 2 YEAR |
| 479 | HANANI & KHOURY INC (now The Courthouse 2021) | 2021 | Broadway | REDWOOD CITY, CA | 2 YEAR |
| 480 | ALANAS CAFE | 1020 | MAIN | REDWOOD CITY, CA | 2 YEAR |
| 481 | VINO SANTO BISTRO | 2030 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 482 | SAKURA | 2198 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 483 | MAYS VIETNAMESE RESTAURANT | 2088 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 484 | GREEN LEAF ASIAN BISTRO | 865 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 485 | QUONG LEE PENINSULA CLEANING SVCS (now Dynasty Cleaners) | 1681 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 486 | 7 ELEVEN STORE #2366-22434E | 400 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 487 | U-Haul Moving & Storage of Redwood City | 2200 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 488 | DONUT KING | 3123 | JEFFERSON | REDWOOD CITY, CA | 2 YEAR |
| 489 | WOODSIDE DELICATESSEN | 1453 | Woodside | REDWOOD CITY, CA | 2 YEAR |
| 490 | LARNAUTI INC. | 416 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 491 | WOODSIDE AUTO & TIRE INC | 333 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 492 | Verizon Wireless Edgewood Alameda | 170 | Alameda de las pulgas | REDWOOD CITY, CA | 2 YEAR |
| 493 | Verizon Wireless Hwy 101 Whipple | 350 | convention | REDWOOD CITY, CA | 2 YEAR |
| 494 | Verizon Wireless Redwood City Downtown | 1451 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 495 | Verizon Wireless Alameda Jefferson | 2325 | Euclid | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|---|---------|------------------------|------------------|-----------|
| 496 | Verizon Wireless Woodside Road | 1835 | Valota | REDWOOD CITY, CA | 2 YEAR |
| 497 | Verizon Wireless Lake View RWC | 938 | WILMINGTON | REDWOOD CITY, CA | 2 YEAR |
| 498 | Verizon Wireless San Carlos Airport | 201 | Redwood Shores Pkwy | REDWOOD CITY, CA | 2 YEAR |
| 499 | Verizon Wireless Hwy 101 Seaport | 10 | Seaport | REDWOOD CITY, CA | 2 YEAR |
| 500 | Verizon Wireless Redwood Shores | 10 | Twin Dolphin Drive | REDWOOD CITY, CA | 2 YEAR |
| 501 | Verizon Business: RDWDCA | | EL CAMINO N OF WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 502 | VERIZON Wireless Seaport East | 1300 | SEAPORT | REDWOOD CITY, CA | 2 YEAR |
| 503 | HOM KOREAN KITCHEN INC. | 2639 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 504 | FROM PERU CATERING | 1500 | INDUSTRIAL | REDWOOD CITY, CA | 2 YEAR |
| 505 | ZADNA | 2653 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 506 | PHO DONG RESTAURANT | 2610 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 507 | BANGKOK BAY THAI CUISINE | 825 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 508 | Esbro | 775 | Seaport | REDWOOD CITY, CA | 2 YEAR |
| 509 | Arana Therapeutics, Inc. | 610 | Galveston | REDWOOD CITY, CA | 2 YEAR |
| 510 | REDWOOD CITY AUTO SALES | 155 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 511 | AIR CARE SMOG TEST CENTER | 75 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 512 | PG&E: LAS PULGAS SUBSTATION | 1638 | KANSAS | REDWOOD CITY, CA | 2 YEAR |
| 513 | PG&E: REDWOOD CITY SUBSTATION | 10 | SEAPORT | REDWOOD CITY, CA | 2 YEAR |
| 514 | PG&E: BAIR SUBSTATION | 255 | SEAPORT | REDWOOD CITY, CA | 2 YEAR |
| 515 | PG&E: SHREDDER SUBSTATION | 755 | SEAPORT | REDWOOD CITY, CA | 2 YEAR |
| 516 | ORENCHI | 2432 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 517 | ISSIMI INC | 1830 | INDUSTRIAL | REDWOOD CITY, CA | 2 YEAR |
| 518 | REDWOOD TOUCHLESS CAR WASH | 215 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 519 | SEANET RWC LLC (Old Port Lobster) DBA Rack & Roll BBQ Shack | 20 | Woodside Plaza | REDWOOD CITY, CA | 2 YEAR |
| 520 | CORCIS AUTOMOTIVE | 540 | El Camino Real | REDWOOD CITY, CA | 2 YEAR |
| 521 | Safeway 0747 | 850 | Woodside | REDWOOD CITY, CA | 2 YEAR |
| 522 | WOODSIDE GAS & C-STORE (union 76) | 975 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 523 | MARISCOS EL SANIGNACENSE | 349 | 1726 El Camino Real | REDWOOD CITY, CA | 2 YEAR |
| 524 | A & L AUTO REPAIRS | 94 | Laurel | REDWOOD CITY, CA | 2 YEAR |
| 525 | FOLEY BROTHERS CUSTOM WORKS | 32 | WILLOW | REDWOOD CITY, CA | 2 YEAR |
| 526 | PASHA INC | 837 | JEFFERSON AVE. | REDWOOD CITY, CA | 2 YEAR |
| 527 | TEASPOON | 2361 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 528 | I DUMPLING LLC | 2660 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 529 | SMC CAFETERIA | 400 | County Center | REDWOOD CITY, CA | 2 YEAR |
| 530 | WOODSIDE MANOR LIQUORS | 524 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|---------------------|------------------|-----------|
| 531 | Woodside Manor Shell #176 | 582 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 532 | Veterans Shell #148 | 690 | VETERANS BLVD | REDWOOD CITY, CA | 2 YEAR |
| 533 | HUDSON MANOR | 278 | HUDSON ST | REDWOOD CITY, CA | 2 YEAR |
| 534 | JACK IN THE BOX #469 | 986 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 535 | OHANA EXPRESS | 640 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 536 | BENZ AUTOBODY | 1850 | INDUSTRIAL WAY | REDWOOD CITY, CA | 2 YEAR |
| 537 | LA ESTRELLITA | 2205 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 538 | LITTLE MADFISH | 1021 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 539 | NIKKOS MEXICAN GRILL | 314 | ARGUELLO ST. | REDWOOD CITY, CA | 2 YEAR |
| 540 | CHUCK E CHEESE (CEC ENTERTAINMENT INC) | 2541 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 541 | The Habit Burger Grill | 1111 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 542 | BAP | 2090 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 543 | NICK THE GREEK | 2034 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 544 | GROCERY OUTLET INC | 1833 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 545 | EMERALD CITY LIQUORS | 3025 | JEFFERSON AVE. | REDWOOD CITY, CA | 2 YEAR |
| 546 | J & G LIQUORS | 1402 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 547 | RITE AID #5893 | 2150 | Roosevelt Ave | REDWOOD CITY, CA | 2 YEAR |
| 548 | SUMMIT COFFEE | 2137 | ROOSEVELT | REDWOOD CITY, CA | 2 YEAR |
| 549 | Century Redwood Downtown 20 | 825 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 550 | FIVE GUYS BURGER | 801 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 551 | Jack in the Box #0525 | 1205 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 552 | OTOKO SUSHI | 240 | Redwood Shores Pkwy | REDWOOD CITY, CA | 2 YEAR |
| 553 | UNA MAS MEXICAN GRILL | 224 | Redwood Shores Pkwy | REDWOOD CITY, CA | 2 YEAR |
| 554 | ROBERTS & BRUNE | 939 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 555 | FERRARI MASERATI OF SILICON VALLEY | 2750 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 556 | BONFARE #41 | 3215 | OAK KNOLL | REDWOOD CITY, CA | 2 YEAR |
| 557 | CANYON GAS & PROPANE | 590 | CANYON | REDWOOD CITY, CA | 2 YEAR |
| 558 | LA VIGA RESTURANT | 1722 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 559 | STARBUCKS COFFEE | 1900 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 560 | SPEEDERIA PIZZERIA | 3201-A | OAK KNOLL | REDWOOD CITY, CA | 2 YEAR |
| 561 | Brava Home, Inc. | 312 | CHESTNUT ST. | REDWOOD CITY, CA | 2 YEAR |
| 562 | Dollar Tree #05544 | 312 | WALNUT | REDWOOD CITY, CA | 2 YEAR |
| 563 | BLISS COFFEE | 2400 | BROADWAY #110 | REDWOOD CITY, CA | 2 YEAR |
| 564 | THE BLACKSMITH | 2048 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 565 | PHILZ COFFEE | 2116 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 566 | Safeway 0305 | 1071 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 567 | VITALITY BOWLS | 835 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|-------------------------------------|---------|----------------|------------------|-----------|
| 568 | KEMURI JAPANESE BARU | 2616 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 569 | CYCLISMO CAFE | 871 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 570 | SVCW Redwood City Pump Station | 1581 | MAPLE ST. | REDWOOD CITY, CA | 2 YEAR |
| 571 | FIFTH QUARTER | 976 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 572 | ROUND TABLE PIZZA | 128 | WOODSIZE PLAZA | REDWOOD CITY, CA | 2 YEAR |
| 573 | BK 6292 | 2102 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 574 | QUALITY COACHWORKS LTD | 411 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 575 | THRIFTY PAYLESS, INC #5892 | 340 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 576 | HYPATIA'S CUISINE | 1714 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 577 | PACIFIC INN | 2610 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 578 | THE VITAMIN SHOPPE | 1200 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 579 | FAST AND EASY | 2512 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 580 | STARBUCKS COFFEE #3459 | 490 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 581 | MARDI GRAS LOUNGE | 1628 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 582 | Oil Changer #202 | 2762 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 583 | CHUCKS DONUTS | 801 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 584 | VARUN ENTERPRISES INC | 2215 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 585 | MARSHALLS | 2545 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 586 | TOGOS AND BASKIN ROBBINS | 1501 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 587 | LA CASITA CHILANGA #2 | 761 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 588 | WENDYS OLD FASHIONED HAMBURGER | 1852 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 589 | REDWOOD BISTRO | 711 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 590 | TEATIME | 1003 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 591 | STUTTGART MOTORS | 2315 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 592 | EVA SWEETS | 3716 | FLORENCE | REDWOOD CITY, CA | 2 YEAR |
| 593 | KEY MARKET | 1063 | UPTON ST. | REDWOOD CITY, CA | 2 YEAR |
| 594 | SEVEN ELEVEN STORE 2366-25411C | 460 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 595 | SUBWAY SANDWICHES & SALADS #2622 | 758 | WOODSIDE | REDWOOD CITY, CA | 2 YEAR |
| 596 | CANYON INN | 587 | CANYON RD | REDWOOD CITY, CA | 2 YEAR |
| 597 | GP ENTERPRISES | 3014 | ROLISON | REDWOOD CITY, CA | 2 YEAR |
| 598 | PENINSULA COVENANT COMMUNITY CENTER | 3623 | JEFFERSON | REDWOOD CITY, CA | 2 YEAR |
| 599 | RELYPSA INC | 100 | CARDINAL WAY | REDWOOD CITY, CA | 2 YEAR |
| 600 | CHAVEZ MEAT MARKET | 775 | ARGUELLO ST. | REDWOOD CITY, CA | 2 YEAR |
| 601 | CODEXIS, INC | 200 | PENOBSCOT DR | REDWOOD CITY, CA | 2 YEAR |
| 602 | TACOS EL GRULLENSE #1 | 1243 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 603 | CAL-STEAM | 604 | PRICE AVE. | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|-----------|---------------------|------------------|-----------|
| 604 | STUDEBAKERS WEST | 355 | CONVENTION WAY | REDWOOD CITY, CA | 2 YEAR |
| 605 | WILLOW MARKET | 37 | WILLOW ST | REDWOOD CITY, CA | 2 YEAR |
| 606 | WHIPPLE CHEVRON | 585 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 607 | IN-N-OUT BURGER #246 | 949 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 608 | MCDONALDS RESTAURANT | 536 | WHIPPLE | REDWOOD CITY, CA | 2 YEAR |
| 609 | TACOS EL GRULLENSE #3 | 2940 | MIDDLEFIELD RD | REDWOOD CITY, CA | 2 YEAR |
| 610 | BOBBY D'S SPORTS BAR & COCKTAIL LOUNGE | 700 | WINSLOW ST. | REDWOOD CITY, CA | 2 YEAR |
| 611 | GAMBREL AND CO | 810 | MAIN | REDWOOD CITY, CA | 2 YEAR |
| 612 | Kohl's Department Stores - Store #1389 | 250 | WALNUT | REDWOOD CITY, CA | 2 YEAR |
| 613 | STARBUCKS COFFEE | 400 | WALNUT #A | REDWOOD CITY, CA | 2 YEAR |
| 614 | GO FISH POKE BAR 3 | 823 | HAMILTON | REDWOOD CITY, CA | 2 YEAR |
| 615 | TIMBER AND SALT | 881 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 616 | LOVEJOYS TEA ROOM REDWOOD CITY | 901 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 617 | TACO BELL #30791 | 1103 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 618 | WAREHOUSE DEMO SERVICES # 1042 | | | REDWOOD CITY, CA | 2 YEAR |
| 619 | DELUCCHIS MARKET | 3640 | FLORENCE | REDWOOD CITY, CA | 2 YEAR |
| 620 | BRAVO TAQUERIA | 980 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 621 | KAIGAN SUSHI | 3215 | OAK KNOLL | REDWOOD CITY, CA | 2 YEAR |
| 622 | LITTLE CAESARS | 2193 | ROOSEVELT | REDWOOD CITY, CA | 2 YEAR |
| 623 | EL CAMINO COLLISION EXPERTS, INC. | 51 | CHARTER ST | REDWOOD CITY, CA | 2 YEAR |
| 624 | THAIBODIA | 910 | WOODSIDE RD. | REDWOOD CITY, CA | 2 YEAR |
| 625 | Smart & Final # 410 | 1185 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 626 | CROUCHING TIGER BAR | 2640-2644 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 627 | CITY PUB & CAFE | 2620 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 628 | ARCO 00306/Chand's Gas Station Mini Mart | 1700 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 629 | HARRYS HOFBRAU | 1909 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 630 | SUBWAY | 1051 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 631 | PHOENIX CEMENT COMPANY | 876 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 632 | BROADWAY MASALA LLC | 2397 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 633 | SUBWAY | 1105 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 634 | STARBUCKS COFFEE (801 HAMILTON) | 2227 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 635 | MAPLE STREET CORRECTIONAL CENTER | 1300 | MAPLE | REDWOOD CITY, CA | 2 YEAR |
| 636 | Nob Hill #628 | 270 | REDWOOD SHORES PRKY | REDWOOD CITY, CA | 2 YEAR |
| 637 | THE OLD SPAGHETTI FACTORY | 2107 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 638 | HOME SKILLET | 820 | VETERANS BLVD. | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|---|---------|---------------------|------------------|-----------|
| 639 | COUNTY OFFICE BLDG.#1 | 455 | COUNTY CENTER | REDWOOD CITY, CA | 2 YEAR |
| 640 | COUNTY OFFICE BLDG #2 | 555 | COUNTY CENTER | REDWOOD CITY, CA | 2 YEAR |
| 641 | THE STRIPED PIG | 917 | MAIN ST | REDWOOD CITY, CA | 2 YEAR |
| 642 | BUBBLE & WRAP / ORIGINS JUICERY | 2070 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 643 | MARRIOTT COURTYARD REDWOOD CITY (REDWOOD CITY HOTELS, LLC) | 600 | BAIR ISLAND RD. | REDWOOD CITY, CA | 2 YEAR |
| 644 | HOLIDAY INN EXPRESS | 1836 | EL CAMINO | REDWOOD CITY, CA | 2 YEAR |
| 645 | Chipotle Mexican Grill #430 | 861 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 646 | ABC COMPANIES | 3508 | HAVEN AVE. | REDWOOD CITY, CA | 2 YEAR |
| 647 | FALAFEL TAZAH INC | 256 | REDWOOD SHORES PKWY | REDWOOD CITY, CA | 2 YEAR |
| 648 | CHAVEZ SUPERMARKET | 817 | ARGUELLO ST. | REDWOOD CITY, CA | 2 YEAR |
| 649 | Subway | 1926 | El Camino | REDWOOD CITY, CA | 2 YEAR |
| 650 | SUHSD/Transportation (Redwood City, CA) | 1090 | Mills | REDWOOD CITY, CA | 2 YEAR |
| 651 | SUHSD WAREHOUSE | 350 | JAMES | REDWOOD CITY, CA | 2 YEAR |
| 652 | SEQUOIA HIGH SCHOOL | 1201 | BREWSTER | REDWOOD CITY, CA | 2 YEAR |
| 653 | KNBR TRANSMITTER FACILITY | 1410 | RADIO | REDWOOD CITY, CA | 2 YEAR |
| 654 | SILICON VALLEY CLEAN WATER | 1400 | RADIO RD | REDWOOD CITY, CA | 2 YEAR |
| 655 | STEVES CAFE & CATERING | 303 | TWIN DOLPHIN DR. | REDWOOD CITY, CA | 2 YEAR |
| 656 | GOOGLE, INC. | 1900 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 657 | GOOGLE, INC. | 1600 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 658 | GOOGLE, INC. | 1700 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 659 | GOOGLE, INC. | 1300 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 660 | BON APPETIT CAFE | 500 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 661 | GUCKENHEIMER SERVICES, LLC @ GOOGLE - RWC 1600 (Google or CBRE) | 1100 | SEAPORT BLVD | REDWOOD CITY, CA | 2 YEAR |
| 662 | GUCKENHEIMER SERVICES, LLC @ GOOGLE - RWC 1900 (Google or CBRE) | 2000 | SEAPORT BLVD | REDWOOD CITY, CA | 2 YEAR |
| 663 | GUCKENHEIMER SERVICES, LLC @PAC SHORES (Google or CBRE) | 2100 | SEAPORT BLVD | REDWOOD CITY, CA | 2 YEAR |
| 664 | CBRE | 1700 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 665 | ORACLE USA INC | 100 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 666 | ORACLE USA INC | 10 | TWIN DOLPHIN | REDWOOD CITY, CA | 2 YEAR |
| 667 | ORACLE USA INC | 200 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 668 | ORACLE USA INC | 300 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 669 | ORACLE USA INC | 400 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 670 | BON APPETIT #100 | 100 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 671 | BON APPETIT CAFE | 350 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 672 | BON APPETIT CAFE | 200 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|----------------------|------------------|-----------|
| 673 | BON APPETIT CAFE | 600 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 674 | BON APPETIT CAFE | 300 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 675 | GUCKENHEIMER SERVICES LLC AT PACIFIC SHORES CAFE | 1600 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 676 | Revolution Medicine | 700 | SAGINAW DR | REDWOOD CITY, CA | 2 YEAR |
| 677 | ENVIRONMENTAL HEALTH STORAGE | 310 | PINE | REDWOOD CITY, CA | 2 YEAR |
| 678 | KAISER PERMANENTE HOSPITAL - CUP | 670 | MARSHALL | REDWOOD CITY, CA | 2 YEAR |
| 679 | KAISER PERMANENTE HOSPITAL | 1150 | VETERANS | REDWOOD CITY, CA | 2 YEAR |
| 680 | Kaiser Permanente Hospital | 1100 | Veterans | REDWOOD CITY, CA | 2 YEAR |
| 681 | OH BABY SUSHI | 2139 | ROOSEVELT AVE. | REDWOOD CITY, CA | 2 YEAR |
| 682 | AT&T MOBILITY - REDWOOD CITY (USID13232) | 575 | CALIFORNIA WAY | REDWOOD CITY, CA | 2 YEAR |
| 683 | ACHELOIS ONCOLOGY INC / Achelois Pharmaceuticals | 3698 | HAVEN AVE. | REDWOOD CITY, CA | 2 YEAR |
| 684 | ZAZZLE, INC | 1800 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 685 | GOOGLE, INC. | 1200 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 686 | GOOGLE, INC. | 1800 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 687 | GOOGLE, INC. | 1500 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 688 | GOOGLE, INC. | 1400 | SEAPORT BLVD. | REDWOOD CITY, CA | 2 YEAR |
| 689 | ORACLE USA INC | 600 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 690 | ORACLE USA INC | 500 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 691 | BON APPETIT CAFE | 400 | ORACLE PARKWAY | REDWOOD CITY, CA | 2 YEAR |
| 692 | Caltrans-Redwood City | 2501 | BAYSHORE | REDWOOD CITY, CA | 2 YEAR |
| 693 | FOX THEATER | 2221 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 694 | PENINSULA LIQUORS | 717 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 695 | HIKARI SUSHI | 490 | EL CAMINO REAL # 140 | REDWOOD CITY, CA | 2 YEAR |
| 696 | MAIZZ.CO | 851 | El Camino | REDWOOD CITY, CA | 2 YEAR |
| 697 | CALIFORNIA AUTO DETAILERS | 113 | BEECH ST. | REDWOOD CITY, CA | 2 YEAR |
| 698 | 5 STARS AUTO BODY REPAIR | 1175 | SHASTA ST. | REDWOOD CITY, CA | 2 YEAR |
| 699 | ROCKY'S MOBILE SERVICE | 1021 | HILTON ST. #B | REDWOOD CITY, CA | 2 YEAR |
| 700 | MELLADO MOBILE TIRE | 249 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 701 | HELEN'S CLEANERS | 260 | Woodside Plaza | REDWOOD CITY, CA | 2 YEAR |
| 702 | Whole Foods Market - Redwood City | 1250 | JEFFERSON AVE. | REDWOOD CITY, CA | 2 YEAR |
| 703 | AT&T California - P3081 | 1121 | Jefferson Ave | REDWOOD CITY, CA | 2 YEAR |
| 704 | AT&T California - P3600 | 2001 | BAYSHORE RD. EAST | REDWOOD CITY, CA | 2 YEAR |
| 705 | RAY'S AUTO REPAIR | 2333 | EL CAMINO REAL | REDWOOD CITY, CA | 2 YEAR |
| 706 | ELECTRONIC ARTS INC | 207 | REDWOOD SHORES PKWY | REDWOOD CITY, CA | 2 YEAR |
| 707 | ELECTRONIC ARTS INC | 209 | REDWOOD SHORES PKWY | REDWOOD CITY, CA | 2 YEAR |
| 708 | ELECTRONIC ARTS INC | 250 | SHORELINE DR. | REDWOOD CITY, CA | 2 YEAR |

| | BUSINESS NAME | ADDRESS | STREET NAME | CITY | FREQUENCY |
|-----|--|---------|---------------------|------------------|-----------|
| 709 | ELECTRONIC ARTS INC | 211 | SHORELINE DR. | REDWOOD CITY, CA | 2 YEAR |
| 710 | 840 WINE BAR & COCKTAIL LOUNGE | 840 | BREWSTER | REDWOOD CITY, CA | 2 YEAR |
| 711 | WEST PARK FARM AND SEA | 855 | MIDDLEFIELD | REDWOOD CITY, CA | 2 YEAR |
| 712 | SUMMIT PREPARATORY CHARTER H S | 890 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 713 | STANFORD MEDICINE OUTPATIENT CTR | 440 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 714 | STANFORD MEDICINE OUTPATIENT CTR | 450 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 715 | TRANS AUTO REPAIR | 640 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 716 | FROYOLA | 2206 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 717 | Pro Care Auto Clinic | 1704 | Industrial Way | REDWOOD CITY, CA | 2 YEAR |
| 718 | RENDEVOUS CAFE | 330 | TWIN DOLPHIN DR. | REDWOOD CITY, CA | 2 YEAR |
| 719 | ARGUELLO WASH & FOLD LAUNDROMAT | 717 | ARGUELLO ST. | REDWOOD CITY, CA | 2 YEAR |
| 720 | AT&T MOBILITY - BELMONT (USID13252) | 255 | SHORELINE DR. | REDWOOD CITY, CA | 2 YEAR |
| 721 | TAFT SCHOOL | 903 | 10TH | REDWOOD CITY, CA | 2 YEAR |
| 722 | RANZAN USA | 921 | Main | REDWOOD CITY, CA | 2 YEAR |
| 723 | UBIQUITOUS ENERGY | 3696 | HAVEN AVE. | REDWOOD CITY, CA | 2 YEAR |
| 724 | CARLSEN MOTOR CARS, INC. (DBA Targa Leasing) | 3636 | Haven | REDWOOD CITY, CA | 2 YEAR |
| 725 | BAY CLUB | 200 | REDWOOD SHORES PKWY | REDWOOD CITY, CA | 2 YEAR |
| 726 | BAYSIDE EQUIPMENT CO | 3562 | HAVEN AVE. | REDWOOD CITY, CA | 2 YEAR |
| 727 | SANDPIPER SCHOOL | 801 | REDWOOD SHORES PRKY | REDWOOD CITY, CA | 2 YEAR |
| 728 | CRU | 900 | MIDDLEFIELD RD | REDWOOD CITY, CA | 2 YEAR |
| 729 | DHABA XPRESS | 312 | ARGUELLO ST. | REDWOOD CITY, CA | 2 YEAR |
| 730 | MISTRAL RESTAURANT | 370 | BRIDGE PKWY | REDWOOD CITY, CA | 2 YEAR |
| 731 | CLUB CALIENTE | 1776 | BROADWAY | REDWOOD CITY, CA | 2 YEAR |
| 732 | CARDIODX INC | 600 | SAGINAW | REDWOOD CITY, CA | 5 YEARS |
| 733 | DEXTERA SURGICAL INC | 900 | SAGINAW | REDWOOD CITY, CA | 5 YEARS |
| 734 | GENAPSYS, INC. | 200 | CARDINAL WAY | REDWOOD CITY, CA | 5 YEARS |